

A male golfer with a beard is captured in the middle of a golf swing on a green field. He is wearing a light blue polo shirt, dark trousers, white golf shoes, and a white Titleist cap. The background features a hazy, mountainous landscape under a cloudy sky.

Titleist[®]

CUSTOM CLUB OPTIONS

Updated as of 01/17/24.  Availability subject to change at anytime.

TO BUILD THE WORLD'S BEST GOLF CLUBS, YOU NEED THE WORLD'S BEST SELECTION OF COMPONENTS.

Our goal is to be known as the industry leader in club fitting, which means providing fitters with the best performing products, best fitting tools, largest component library and the highest quality fitting methods. We sincerely appreciate your work to help dedicated golfers improve through well-fit golf clubs.

Titleist[®]



CLUB SPEC OPTION SUMMARY

4

DRIVERS	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS
TSR1	9.0°, 10.0°, 12.0°	-.75° to +1.5°	59.0°	-.75° to +1.5°	45.75"
TSR2	8.0°, 9.0°, 10.0°, 11.0°	-.75° to +1.5°	58.5°	-.75° to +1.5°	45.5"
TSR3	8.0°, 9.0°, 10.0°, 11.0°	-.75° to +1.5°	58.5°	-.75° to +1.5°	45.5"
TSR4	8.0°, 9.0°, 10.0°	-.75° to +1.5°	58.5°	-.75° to +1.5°	45.5"

FAIRWAYS					
TSR1	15°, 18°, 20°, 23°	-.75° to +1.5°	56.5°, 57.5°, 58°, 58.5°	-.75° to +1.5°	43", 42", 41.5"
TSR2	15°, 16.5°, 18°, 21°	-.75° to +1.5°	56.5°, 56.5°, 57.5°, 58°	-.75° to +1.5°	43", 43", 42", 41.5"
TSR2+	13°	-.75° to +1.5°	56.5°	-.75° to +1.5°	43"
TSR3	13.5°, 15°, 16.5°, 18°	-.75° to +1.5°	56.5°, 56.5°, 56.5° 57.5°	-.75° to +1.5°	43", 43", 43", 42"

HYBRIDS					
TSR1	20°, 23°, 26°, 29°	-1° to +2°	57°, 57.5°, 58°, 58.5°	-1° to +2°	40.5", 40", 39.5", 39"
TSR2	18°, 21°, 24°	-1° to +2°	57°, 57.5°, 58°	-1° to +2°	40.5", 40", 39.5"
TSR3	19°, 21°, 24°	-1° to +2°	57°, 57.5°, 58°	-1° to +2°	40.5", 40", 39.5"

IRONS	1	2	3	4	5	6	7	8	9	P	W	W2	W3	LIE RANGE
T100	—	—	21°	24°	27°	30°	34°	38°	42°	46°	50°	—	—	-2° to +4°
T150	—	—	19°	22°	25°	28°	32°	36°	40°	44°	48°	—	—	-2° to +4°
T200	—	—	—	21°	24°	27°	30.5°	34.5°	38.5°	43°	48°	—	—	-2° to +4°
T350	—	—	—	20°	23°	26°	29°	33°	38°	43°	48°	53°	—	-2° to +4°
T400	—	—	—	—	20°	23°	26°	29°	33°	38°	43°	49°	55°	-2° to +4°
620 CB	—	—	21°	24°	27°	31°	35°	39°	43°	47°	—	—	—	-2° to +2°
620 MB	—	—	21°	24°	27°	31°	35°	39°	43°	47°	—	—	—	-2° to +2°
CP-02	—	—	20°	23°	26°	29°	32°	36°	40°	44°	48°	—	—	-2° to +4°
CP-03	—	—	19°	22°	25°	28°	31°	35°	39°	43°	48°	—	—	-2° to +4°
CP-04	—	—	—	21°	24°	27°	30°	34°	38°	43°	48°	—	—	-2° to +4°
U-505*	16°	18°	20°	22°	—	—	—	—	—	—	—	—	—	-2° to +4°
T200*	—	17°	20°	23°	—	—	—	—	—	—	—	—	—	-2° to +4°
Lie	60°	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°	64°	64°	64°	64°	—
Length*	40"	39.50"	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"	35.50"	35.25"	—

ALL PUTTERS AVAILABLE IN .25" LENGTH INCREMENTS. CALL FOR AVAILABLE LENGTH OPTIONS.

* LADIES LENGTH IS -1" FROM MEN'S STANDARD LENGTH. UTILITIES BUILDS WITH HYBRID GRAPHITE ARE +1/4". CALL FOR AVAILABLE LENGTH OPTIONS.

CLUB SPECS

FEAT. SHAFTS & GRIPS

PRODUCT COMPARISON

DRIVER/FAIRWAY

HYBRID/UTILITY

IRONS/WEDGES

WEIGHTS

GRIPS

WEDGEWORKS



CLUB SPEC OPTION SUMMARY

VOKEY DESIGN® WEDGES	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS
New SM10 Tour Chrome	46° to 62°	-1° to +1°	64°	-2° to +2°	35.75" to 35"
New SM10 Nickel	46° to 62°	-1° to +1°	64°	-2° to +2°	35.75" to 35"
New SM10 Jet Black	46° to 62°	-1° to +1°	64°	-2° to +2°	35.75" to 35"
New SM10 Raw (Custom Only)	46° to 62°	-1° to +1°	64°	-2° to +2°	35.75" to 35"

SCOTTY CAMERON® PUTTERS					
New 2024 Phantom	3.5°	-1° to +1°	70°	-2° to +2°	33", 34", 35"
2023 Super Select	3.5°	-1° to +1°	70°	-2° to +2°	33", 34", 35"

ALL PUTTERS AVAILABLE IN .25" LENGTH INCREMENTS. CALL FOR AVAILABLE LENGTH OPTIONS.
* LADIES LENGTH IS -1" FROM MEN'S STANDARD LENGTH. UTILITIES BUILDS WITH HYBRID GRAPHITE ARE +1/4". CALL FOR AVAILABLE LENGTH OPTIONS.

FEATURED SHAFT & GRIP OPTION SUMMARY

6

DRIVERS	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
TSR1	0.5", 1", 1.5"	MCA MMT SpeedMesh 40 MCA MMT SpeedMesh 35 (R3 Flex Only)	Golf Pride Tour Velvet 360° Lite Flat Cap Gray	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
TSR2	0.5", 1", 1.5"	MCA Tensei AV Blue with Xlink Tech 55 MCA Tensei 1K Black 65 Project X HZRDUS Black 4G 60 Project X HZRDUS Red CB 40 (Ladies) Project X HZRDUS Red CB 50	Golf Pride Tour Velvet 360° No Fill Flat Cap 58R	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
TSR3	0.5", 1", 1.5"	MCA Tensei AV Blue with Xlink Tech 55 MCA Tensei 1K Black 65 Project X HZRDUS Black 4G 60	Golf Pride Tour Velvet 360° No Fill Flat Cap 58R	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
TSR4	0.5", 1", 1.5"	MCA Tensei 1K Black 65	Golf Pride Tour Velvet 360° No Fill Flat Cap 58R	-1/64", STD, +1/64", +1/32", +3/64", +1/16"

FAIRWAYS				
TSR1	0.5", 1", 1.5"	MCA MMT SpeedMesh 40 MCA MMT SpeedMesh 35 (R3 Flex Only)	Golf Pride TV 360° Lite Plus Dark Gray Flat Cap	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
TSR2	0.5", 1", 1.5"	MCA Tensei AV Blue with Xlink Tech 65 MCA Tensei 1K Black 75 Project X HZRDUS Black 4G 70 Project X HZRDUS Red CB 40 (Ladies) Project X HZRDUS Red CB 60	Golf Pride Tour Velvet 360° No Fill Flat Cap 58R	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
TSR2+	0.5", 1", 1.5"	Project X HZRDUS Black 4G 70	Golf Pride Tour Velvet 360° No Fill Flat Cap 58R	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
TSR3	0.5", 1", 1.5"	MCA Tensei AV Blue with Xlink Tech 65 MCA Tensei 1K Black 75 Project X HZRDUS Black 4G 70	Golf Pride Tour Velvet 360° No Fill Flat Cap 58R	-1/64", STD, +1/64", +1/32", +3/64", +1/16"

HYBRIDS				
TSR1	0.5", 1", 1.5"	MCA MMT SpeedMesh 50 MCA MMT SpeedMesh 40 (R3 Flex Only)	Golf Pride Tour Velvet 360° No Fill Flat Cap 58R	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
TSR2	0.5", 1", 1.5"	MCA Tensei 1K Black with Xlink Tech 85 HY Project X HZRDUS Black 4G 80 HY MCA Tensei AV Blue with Xlink 65 HY Project X HZRDUS Red 60 HY	Golf Pride Tour Velvet 360° No Fill Flat Cap 58R	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
TSR3	0.5", 1", 1.5"	MCA Tensei 1K Black with Xlink Tech 85 HY Project X HZRDUS Black 4G 80 HY MCA Tensei AV Blue with Xlink 65 HY	Golf Pride Tour Velvet 360° No Fill Flat Cap 58R	-1/64", STD, +1/64", +1/32", +3/64", +1/16"

CLUB SPECS

FEAT. SHAFTS & GRIPS

PRODUCT COMPARISON

DRIVER/FAIRWAY

HYBRID/UTILITY

IRONS/WEDGES

WEIGHTS

GRIPS

WEDGEWORKS



FEATURED SHAFT & GRIP OPTION SUMMARY

IRONS	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
T100	Hard or Soft Step	True Temper AMT Tour White	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T100 (Graphite)	Hard or Soft Step	Mitsubishi Tensei AV White AM2	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T150	Hard or Soft Step	Project X LZ	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T150 (Graphite)	Hard or Soft Step	Mitsubishi Tensei AV White AM2	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T200	Hard or Soft Step	True Temper AMT Black	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T200 (Graphite)	Hard or Soft Step	Mitsubishi Tensei AV Blue AM2	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T350	Hard or Soft Step	True Temper AMT Red	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T350 (Graphite)	Hard or Soft Step	Mitsubishi Tensei AV Red AM2	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T400	Hard or Soft Step	True Temper AMT Red	Golf Pride Tour Velvet 360° White Flat Cap	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T400 (Graphite)	Hard or Soft Step	Mitsubishi Fubuki MV IR 44/50/55/60	Golf Pride Tour Velvet 360° Lite+ Flat Gray Cap	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
CP-02	Hard or Soft Step	All Custom Shaft Options Available for CNCPT	All Custom Grip Options (Available for CNCPT)	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
CP-03	Hard or Soft Step	All Custom Shaft Options Available for CNCPT	All Custom Grip Options (Available for CNCPT)	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
CP-04	Hard or Soft Step	All Custom Shaft Options Available for CNCPT	All Custom Grip Options (Available for CNCPT)	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
620 CB	Hard or Soft Step	Project X LZ	Golf Pride Tour Velvet 360° White Flat Cap	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
620 MB	Hard or Soft Step	Project X	Golf Pride Tour Velvet 360° White Flat Cap	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
U-505 (Graphite)	0.5", 1", 1.5"	HZRDUS Black 4G HYB (80g/90g)	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T200 (Utility Build)	0.5", 1", 1.5"	HZRDUS Black 4G HYB (80g/90g)	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"

WEDGES				
SM10 Tour Chrome	Soft Step	Dynamic Gold S200 Dynamic Gold 105 MCA Tensei AM2 Red	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
SM10 Nickel	Soft Step	Dynamic Gold S200 Dynamic Gold 105 MCA Tensei AM2 Red	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
SM10 Jet Black	Soft Step	Dynamic Gold S200 Dynamic Gold 105 MCA Tensei AM2 Red	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"

PUTTERS				
2024 Phantom	N/A	Steel	Full Contact Paddle Style	N/A
2023 Super Select	N/A	Steel	Pistolini Plus Textured	N/A

DRIVER	LAUNCH	SPIN	SIZE & PROFILE
TSR1	Very High • 1° higher than TSR2	Mid • 500 rpm higher than TSR2	Modern 460cc
TSR2	High • 1° lower than TSR1 • Similar to TSR3	Low • 150 rpm higher than TSR3 • 500 rpm lower than TSR1	Modern 460cc
TSR3	Mid • Similar to TSR2 • Slightly lower than TSR4	Low • 150 rpm lower than TSR2 • 100 rpm higher than TSR4 in the front CG (std) setting	Traditional 460cc
TSR4	Mid • Slightly higher than TSR3	Very Low • 100 rpm lower than TSR3 • Positioning weight in the rear CG instead of the STD. Front CG increase spin by -140 rpm	Compact Pear-Shape 430cc

FAIRWAY			
TSR1	Very High • -0.75° higher than TSR2	Mid • -600 rpm higher than TSR2	Modern 175cc
TSR2	High • -0.75° lower than TSR1 • 1-2° higher than TSR3	Mid • -600 rpm lower than TSR1 • -200 rpm higher than TSR3	Modern 175cc
TSR2+	Mid • 13° is similar to TSR3 13.5°	Mid • 14.5° is similar to TSR3 15°	Traditional 190cc
TSR3	Mid • 1-2° lower than TSR2	Mid • -200 rpm higher than TSR2	Compact Pear-Shape 175cc

HYBRID			
TSR1	High	High	Full Profile
TSR2	Mid	Mid	Full Profile
TSR3	Mid	Low	Compact

UTILITY/LONG IRON			
U505	High	Mid	Player's Shape and Sight Lines
T200	High	Mid	Compact Shape

Note: Launch and spin differences are very player and technique dependent. We share the data above upon 155-160 driver ball speeds.

IRON	FOREGIVENESS	WORKABILITY	TRAJECTORY
T100	Medium High	Medium High	Mid
T150	Medium High	Medium	Mid to Low
T200	High	Medium	High
T350	High	Low	High
T400	High	Low	High
CP-02	Medium High	High	High
CP-03	High	Medium	High
CP-04	High	Low	High
CB	Medium	High	Mid to Low
MB	Low	High	Mid to Low

WEDGE	BOUNCE	TURF	DETAILS
T GRIND	Low	Firm	For precise players looking for enhanced versatility.
F GRIND	Mid	Neutral	For players preferring a full sole for full shots.
M GRIND	Mid	Neutral	For players who like to manufacture shots around the green.
S GRIND	Mid	Neutral	For players who prefer square faced shots with a simple technique.
D GRIND	High	Soft	For players with a steeper angle of attack.
K GRIND	High	Soft	For players requiring forgiveness in a wide, full sole.

SUPER SELECT	NECK	TOE FLOW	OFFSET	RH/LH
NEWPORT/NEWPORT+	I-Beam Plumbing	Medium	Full Shaft	RH
NEWPORT 2/NEWPORT 2+	I-Beam Plumbing	Medium	Full Shaft	RH/LH
NEWPORT 2.5+	I-Beam Jet	Near Maximum	3/4 Shaft	RH/LH
DEL MAR	Flow	Maximum	3/4 Shaft	RH/LH
FASTBACK 1.5	I-Beam Jet	Near Maximum	3/4 Shaft	RH
GOLFO 6	Mid Bend Shaft	Near Maximum	Full Shaft	RH
GOLFO 6.5	I-Beam Jet	Near Maximum	3/4 Shaft	RH/LH
SQUAREBACK 2	I-Beam Plumbing	Medium	Full Shaft	RH
SQUAREBACK 2 LONG	I-Beam Plumbing	Medium	Full Shaft	RH

PHANTOM				
5	Mid Bend Shaft	Minimum	Full Shaft	RH
5S	Straight Shaft	Minimum	No Offset	RH
5.5	I-Beam Jet	Near Minimum	3/4 Shaft	RH
7	Mid Bend Shaft	Minimum	Full Shaft	RH
7.5	I-Beam Jet	Near Minimum	3/4 Shaft	RH/LH
9	Mid Bend Shaft	Minimum	Full Shaft	RH
9.5	I-Beam Jet	Near Minimum	3/4 Shaft	RH
11	Mid Bend Shaft	Minimum	Full Shaft	RH
11.5	Low Bend Shaft	Near Minimum	3/4 Shaft	RH/LH
11 LONG	Mid Bend Shaft	Minimum	Full Shaft	RH

LOFT	LIE	LENGTHS
3.5°	70°	33", 34", 35", 38" (Long)

DRIVER/FAIRWAY SHAFT COMPARISON

		SPIN				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
LAUNCH	HIGH				Fubuki MV FW 45/39	autoFlex (Driver)
					Tour AD CQ 5	autoFlex (Fwy)
						Ascent UL 40/35
						Air Speeder 40/35
						Fubuki MV 45/39
	MID-HIGH			Ventus Red VeloCore 6	Kuro Kage Black DC 5G 50/40	MMT SpeedMesh 40/35
					Kuro Kage Black DC 5G 55/45	
					Tour AD IZ 5	
					Tour AD XC 5	
					Tour AD DI 5	
					Tour AD UB-5	
					Tour AD CQ 6/7/8	
	MID				HZRDUS Red CB 40/50	
			Tour AD DI 6/7		HZRDUS Red CB 60	
			Tour AD IZ 6/7	Ventus TR Red Velocore 6	Drago 55	
			Tour AD UB-6	Tensei AV Blue 65/75	Tensei AV Blue SFW 55	
			Tour AD XC 6		Even Flow Riptide CB 50 /60	
	LOW-MID		Tour AD VF 5			
		Tour AD DI 8	Tour AD HD 6/7	Ventus Red VeloCore 7	Even Flow Riptide 50/60	
		Tour AD IZ 8	Tour AD TP 6	Kiyoshi Purple 65		
		Tour AD HD 8	Ventus Blue VeloCore 6/7/8	HZRDUS Smoke Black RDX 60/70/80		
		Tour AD TP 7	Tour AD UB - 7/8	Ventus TR Red VeloCore 7/8		
			Kiyoshi Purple 75	HZRDUS Black 4G 60/70/80		
			Tour AD XC 7/8			
			Ventus TR Blue VeloCore 6/7/8			
			Tour AD DI 8			
			Tour AD IZ 8			
	LOW		Tour AD VF 6			
		Tensei 1K Pro White 60/70/80	Tensei AV White RAW 65	Tensei 1K Black 65/75	HZRDUS Smoke Blue RDX 60/70	
		Kiyoshi Black 75	Tensei AV White RAW 75/85	Devotion 6		
		Ventus Black VeloCore 8	Tensei 1K Black 85	Drago 65/75		
		Ventus TR Black VeloCore 8	Ventus Black VeloCore 6/7			
			Kiyoshi Black 65			
			Kiyoshi White 65			
			Ventus TR Black VeloCore 6/7			
			Tour AD VF 7/8			

NOTES:

- BECAUSE EVERY PLAYER LOADS AND RELEASES SHAFTS DIFFERENTLY, THE ABOVE CHART IS A RELATIVE (NOT ABSOLUTE)
- MEASURE OF HOW EACH SHAFT PERFORMS, AND HOW THEY PERFORM RELATIVE TO EACH OTHER.
- ALL THE ABOVE SHAFTS CAN BE USED IN BOTH HYBRIDS AND UTILITY IRONS.
- REFER TO TITLEIST SHAFT PERFORMANCE GUIDE FOR MORE DETAILS.

DRIVER & FAIRWAY SHAFTS

12

ALDILA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Ascent UL 40	R2	8.3	44	High	At Once	No	+1.5" / -4"
	R	8.2	47	High	At Once	No	+1.5" / -4"
	S	8.0	48	High	At Once	No	+1.5" / -4"
Ascent UL 35	R3	8.5	41	High	At Once	No	+1.5" / -4"

DUMINA							
							
autoFlex 305X	R3 (L flex)	6.2	41	High	Exotic	Yes	+1" / -4"
autoFlex 405	R2 (A flex)	6.2	45	High	Exotic	Yes	+1" / -4"
autoFlex 505	R	6.2	50	High	Exotic	Yes	+1" / -4"
autoFlex 505X	S	4.9	54	High	Exotic	Yes	+1" / -4"
autoFlex 505XX	X	4.9	57	High	Exotic	Yes	+1" / -4"
autoFlex Fwy 305	R3 (L flex)	6.2	40	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 405	R2 (A flex)	6.2	43	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 405X	R1 (A+ flex)	6.2	45	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 505	R	5.9	48	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 505X	S	5.9	53	High	Exotic	Yes	+2" / -4"

FUJIKURA							
							
Air Speeder 35	R3 (L flex)	9.0	40.5	High	At Once	No	+1.5" / -4"
Air Speeder 40	R2 (A flex)	8.5	44.5	High	At Once	No	+1.5" / -4"
	R1	8.0	46.5	High	At Once	No	+1.5" / -4"
	S	7.5	48	High	At Once	No	+1.5" / -4"

							
Ventus TR Black VeloCore 6	S	3.1	69	Low	Exotic	Yes	+1" / -4"
	X	2.9	70	Low	Exotic	Yes	+1" / -4"
Ventus TR Black VeloCore 7	S	2.8	79	Low	Exotic	Yes	+1" / -4"
	X	2.7	80	Low	Exotic	Yes	+1" / -4"
Ventus TR Black VeloCore 8	X	2.6	89	Low	Exotic	Yes	+1" / -4"

FUJIKURA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Ventus Black VeloCore 6	S	3.4	64	Low	Exotic	Yes	+1" / -4"
	X	3.1	65	Low	Exotic	Yes	+1" / -4"
Ventus Black VeloCore 7	S	3.1	77	Low	Exotic	Yes	+1" / -4"
	X	2.8	78	Low	Exotic	Yes	+1" / -4"
Ventus Black VeloCore 8	X	2.8	85	Low	Exotic	Yes	+1" / -4"

							
Ventus TR Blue VeloCore 5	R	3.5	58	Mid	Exotic	Yes	+1" / -4"
	S	3.3	58	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 6	S	3.1	68	Mid	Exotic	Yes	+1" / -4"
	X	2.9	68	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 7	S	2.9	77	Mid	Exotic	Yes	+1" / -4"
	X	2.7	78	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 8	S	2.8	86	Mid	Exotic	Yes	+1" / -4"
	X	2.6	88	Mid	Exotic	Yes	+1" / -4"

							
Ventus Blue VeloCore 6	S	3.1	65	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.1	65	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore 7	S	3.0	76	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.9	77.5	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore 8	X	2.8	86	Low/Mid	Exotic	Yes	+1" / -4"

							
Ventus TR Red VeloCore 5	R	3.5	59	Mid/High	Exotic	Yes	+1" / -4"
	S	3.3	59	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 6	R	3.4	67	Mid/High	Exotic	Yes	+1" / -4"
	S	3.2	68	Mid/High	Exotic	Yes	+1" / -4"
	X	3.0	69	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 7	S	3.0	77	Mid/High	Exotic	Yes	+1" / -4"
	X	2.8	78	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 8	X	2.7	89	Mid/High	Exotic	Yes	+1" / -4"

							
Ventus Red VeloCore 6	S	3.2	65	Mid/High	Exotic	Yes	+1" / -4"
	X	3.1	66	Mid/High	Exotic	Yes	+1" / -4"
Ventus Red VeloCore 7	S	3.1	71	Mid/High	Exotic	Yes	+1" / -4"
	X	3.1	72	Mid/High	Exotic	Yes	+1" / -4"

GRAPHITE DESIGN	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Tour AD CQ 5	R1	4.6	54	Mid/High	Exotic	Yes	+1" / -4"
	S	4.5	56	Mid/High	Exotic	Yes	+1" / -4"
	X	4.5	59	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 6	SR	3.4	62	Mid/High	Exotic	Yes	+1" / -4"
	S	3.4	64	Mid/High	Exotic	Yes	+1" / -4"
	X	3.4	66	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 7	S	3.2	73	Mid/High	Exotic	Yes	+1" / -4"
	X	3.2	74	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 8	X	3.0	83	Mid/High	Exotic	Yes	+1" / -4"

							
New Tour AD VF 5	R2	4.3	55	Low/Mid	Exotic	Yes	+1" / -4"
	R1	4.3	55	Low/Mid	Exotic	Yes	+1" / -4"
	S	4.3	56.5	Low/Mid	Exotic	Yes	+1" / -4"
	X	4.3	59	Low/Mid	Exotic	Yes	+1" / -4"
New Tour AD VF 6	SR	3.3	64	Low/Mid	Exotic	Yes	+1" / -4"
	S	3.3	66.5	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.3	67	Low/Mid	Exotic	Yes	+1" / -4"
	TX	3.3	68.5	Low/Mid	Exotic	Yes	+1" / -4"
New Tour AD VF 7	S	3.0	74	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.0	75.5	Low/Mid	Exotic	Yes	+1" / -4"
	TX	3.0	77	Low/Mid	Exotic	Yes	+1" / -4"
New Tour AD VF 8	X	2.8	85	Low	Exotic	Yes	+1" / -4"

							
Tour AD DI-5	R2	4.7	54	Mid/High	Exotic	Yes	+1" / -4"
	R1	4.7	55	Mid/High	At Once	Yes	+1" / -4"
	S	4.7	57	Mid/High	At Once	Yes	+1" / -4"
Tour AD DI-6	SR	3.4	64	Mid	Exotic	Yes	+1" / -4"
	S	3.3	65	Mid	At Once	Yes	+1" / -4"
	X	3.3	67	Mid	At Once	Yes	+1" / -4"
Tour AD DI-7	S	3.2	73	Mid	At Once	Yes	+1" / -4"
	X	3.1	75	Mid	At Once	Yes	+1" / -4"
Tour AD DI-8	S	3.0	83	Low/Mid	At Once	Yes	+1" / -4"
	X	2.9	85	Low/Mid	At Once	Yes	+1" / -4"

GRAPHITE DESIGN	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Tour AD DI-6 (Black)	SR	3.4	64	Mid	Exotic	Yes	+1" / -4"
	S	3.3	65	Mid	Exotic	Yes	+1" / -4"
	X	3.3	67	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-7 (Black)	S	3.2	73	Mid	Exotic	Yes	+1" / -4"
	X	3.1	75	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-8 (Black)	S	3.0	83	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.9	85	Low/Mid	Exotic	Yes	+1" / -4"

							
Tour AD IZ-5	R1	4.5	54	Mid/High	At Once	Yes	+1" / -4"
	S	4.4	56	Mid/High	At Once	Yes	+1" / -4"
	X	4.4	58	Mid/High	Exotic	Yes	+1" / -4"
Tour AD IZ-6	SR	3.2	62	Mid	Exotic	Yes	+1" / -4"
	S	3.2	63	Mid	At Once	Yes	+1" / -4"
	X	3.2	65	Mid	At Once	Yes	+1" / -4"
Tour AD IZ-7	S	3.1	72	Mid	At Once	Yes	+1" / -4"
	X	3.1	74	Mid	At Once	Yes	+1" / -4"
Tour AD IZ-8	S	2.9	82	Low/Mid	At Once	Yes	+1" / -4"
	X	2.9	83	Low/Mid	At Once	Yes	+1" / -4"

							
Tour AD TP-6	S	3.2	65	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.2	67	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD TP-7	S	3.0	73	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.0	75	Low/Mid	Exotic	Yes	+1" / -4"

							
Tour AD XC-5	R1	4.2	54	Mid/High	Exotic	Yes	+1" / -4"
	S	4.2	56	Mid/High	Exotic	Yes	+1" / -4"
Tour AD XC-6	SR	3.2	62	Mid	Exotic	Yes	+1" / -4"
	S	3.2	64	Mid	Exotic	Yes	+1" / -4"
	X	3.2	65	Mid	Exotic	Yes	+1" / -4"
Tour AD XC-7	S	3.0	73	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.0	75	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD XC-8	S	2.8	83	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.8	83	Low/Mid	Exotic	Yes	+1" / -4"

DRIVER & FAIRWAY SHAFTS

16

GRAPHITE DESIGN	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Tour AD HD 6	S	3.1	66	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.1	68	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD HD 7	S	2.9	74	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.9	76	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD HD 8	S	2.6	86	Low/Mid	Exotic	Yes	+1" / -4"
	X	2.6	88	Low/Mid	Exotic	Yes	+1" / -4"

							
Tour AD UB 5	R2	4.4	54	Mid/Hlgh	Exotic	Yes	+1" / -4"
	R	4.4	56	Mid/Hlgh	At Once	Yes	+1" / -4"
	S	4.4	57	Mid/Hlgh	At Once	Yes	+1" / -4"
	X	4.4	59	Mid/Hlgh	Exotic	Yes	+1" / -4"
Tour AD UB 6	SR	3.2	63	Mid	Exotic	Yes	+1" / -4"
	S	3.2	65	Mid	At Once	Yes	+1" / -4"
	X	3.2	66	Mid	At Once	Yes	+1" / -4"
	TX	3.2	67	Mid	Exotic	Yes	+1" / -4"
Tour AD UB 7	S	3.0	74	Low/Mid	At Once	Yes	+1" / -4"
	X	3.0	75	Low/Mid	At Once	Yes	+1" / -4"
	TX	3.0	76	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD UB 8	S	2.8	82	Low/Mid	At Once	Yes	+1" / -4"
	X	2.8	83	Low/Mid	At Once	Yes	+1" / -4"

DRIVER & FAIRWAY SHAFTS

17

MCA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Kuro Kage Black DC SFW 40	L	8.0	46	Mid/High	At Once	No	+1.5" / -4"
Kuro Kage Black DC 5G SFW 50	R2	7.4	47	Mid/High	At Once	No	+1.5" / -4"
	R	7.3	49	Mid/High	At Once	No	+1.5" / -4"
	S	6.4	50	Mid/High	At Once	No	+1.5" / -4"
	X	5.5	54	Mid/High	At Once	No	+1.5" / -4"
Kuro Kage Black DC 45	L	7.0	50	Mid/High	At Once	No	+1.5" / -4"
Kuro Kage Black DC 5G 55	A	6.4	52	Mid/High	At Once	No	+1.5" / -4"
	R	5.9	54	Mid/High	At Once	No	+1.5" / -4"
	S	5.1	56	Mid/High	At Once	No	+1.5" / -4"
	X	4.4	58	Mid/High	At Once	No	+1.5" / -4"

							
MMT SpeedMesh 40	R2	8.4	44	High	At Once	No	+1.5" / -4"
	R	7.9	46	High	At Once	No	+1.5" / -4"
	S	7.1	48	High	At Once	No	+1.5" / -4"
MMT SpeedMesh 35	R3	8.5	41	High	At Once	No	+1.5" / -4"

							
Tensei AV Blue with XLink Tech SFW 55	R2	5.5	55	Mid	At Once	No	+1.5" / -4"
	R	5.4	57	Mid	At Once	No	+1.5" / -4"
	S	4.9	58	Mid	At Once	No	+1.5" / -4"
	X	4.6	62	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 65	R	4.4	65	Mid	At Once	No	+1.5" / -4"
	S	3.9	67	Mid	At Once	No	+1.5" / -4"
	X	3.6	68	Mid	At Once	No	+1.5" / -4"
	TX	3.4	69	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 75	R	4.1	74	Mid	At Once	No	+1.5" / -4"
	S	3.9	77	Mid	At Once	No	+1.5" / -4"
	X	3.4	78	Mid	At Once	No	+1.5" / -4"
	TX	3.1	79	Mid	At Once	No	+1.5" / -4"

							
Tensei 1K Black 65	S	3.6	67	Low	At Once	No	+1.5" / -4"
	X	3.5	68	Low	At Once	No	+1.5" / -4"
	TX	3.5	69	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 75	S	3.6	76	Low	At Once	No	+1.5" / -4"
	X	3.5	78	Low	At Once	No	+1.5" / -4"
	TX	3.0	79	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 85	S	3.2	89	Low	At Once	No	+1.5" / -4"
	X	3.2	90	Low	At Once	No	+1.5" / -4"
	TX	2.8	90	Low	At Once	No	+1.5" / -4"

MCA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Tensei 1K Pro White 60	S	3.8	60	Low	Exotic	Yes	+1.5" / -4"
	X	3.8	62	Low	Exotic	Yes	+1.5" / -4"
	TX	3.8	65	Low	Exotic	Yes	+1.5" / -4"
Tensei 1K Pro White 70	X	3.3	75	Low	Exotic	Yes	+1.5" / -4"
	TX	3.2	76	Low	Exotic	Yes	+1.5" / -4"
Tensei 1K Pro White 80	TX	2.7	86	Low	Exotic	Yes	+1.5" / -4"

							
Tensei AV White RAW 65	S	3.5	66	Low	At Once	No	+1.5" / -4"
	X	3.4	69	Low	At Once	No	+1.5" / -4"
	TX 2.0	3.2	69	Low	Exotic	No	+1.5" / -4"
Tensei AV White RAW 75	S	3.1	75	Low	At Once	No	+1.5" / -4"
	X	3.0	77	Low	At Once	No	+1.5" / -4"
	TX 2.0	2.9	79	Low	Exotic	No	+1.5" / -4"
Tensei AV White RAW 85	S	3.1	87	Low	At Once	No	+1.5" / -4"
	X	3.0	88	Low	At Once	No	+1.5" / -4"
	TX 2.0	2.7	89	Low	Exotic	No	+1.5" / -4"

							
Fubuki MV 39	L	7.6	43	High	At Once	No	+1.5" / -4"
Fubuki MV 45	A	7.5	46	High	At Once	No	+1.5" / -4"
	R	7.0	47	High	At Once	No	+1.5" / -4"
	S	6.9	52	High	At Once	No	+1.5" / -4"
Fubuki MV FW 39	L	7.0	44	High	At Once	No	+2" / -4"
Fubuki MV FW 45	A	7.0	46.5	High	At Once	No	+2" / -4"
	R	5.8	47.5	High	At Once	No	+2" / -4"
	S	5.1	50.5	High	At Once	No	+2" / -4"

DRIVER & FAIRWAY SHAFTS

19

OBAN	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Devotion 6	R	3.6	66	Low	Exotic	Yes	+1" / -4"
	S	3.6	67	Low	At Once	Yes	+1" / -4"
	X	3.6	68	Low	Exotic	Yes	+1" / -4"

							
Kiyoshi Purple 65	S	3.5	69	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.5	70	Low/Mid	Exotic	Yes	+1" / -4"
Kiyoshi Purple 75	S	3.1	79	Low/Mid	Exotic	Yes	+1" / -4"
	X	3.1	81	Low/Mid	Exotic	Yes	+1" / -4"

							
Kiyoshi Black 65	S	3.3	70	Low	Exotic	Yes	+1" / -4"
	X	3.3	72	Low	Exotic	Yes	+1" / -4"
Kiyoshi Black 75	S	2.9	80	Low	Exotic	Yes	+1" / -4"
	X	2.9	83	Low	Exotic	Yes	+1" / -4"

							
Kiyoshi White 65	S	3.1	66	Low	Exotic	Yes	+1" / -4"
	X	3.1	69	Low	Exotic	Yes	+1" / -4"

PROJECT X							
							
HZRDUS Black 4G 60	5.5	4	60	Low/Mid	At Once	No	+1.5" / -4"
	6.0	3.5	60	Low/Mid	At Once	No	+1.5" / -4"
	6.5	3.3	60	Low/Mid	At Once	No	+1.5" / -4"
	TX	2.5	65	Low/Mid	At Once	Yes	+1.5" / -4"
HZRDUS Black 4G 70	5.5	3.8	67	Low/Mid	At Once	No	+1.5" / -4"
	6.0	3.3	68	Low/Mid	At Once	No	+1.5" / -4"
	6.5	3.1	70	Low/Mid	At Once	No	+1.5" / -4"
	TX	2.3	75	Low/Mid	At Once	Yes	+1.5" / -4"
HZRDUS Black 4G 80	6.0	2.9	80	Low/Mid	At Once	No	+1.5" / -4"
	6.5	2.4	82	Low/Mid	At Once	No	+1.5" / -4"
	TX	2.1	82	Low/Mid	At Once	Yes	+1.5" / -4"

DRIVER & FAIRWAY SHAFTS

20

PROJECT X	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
HZRDUS Red CB 40	4.0	6.5	47	Mid/High	At Once	Yes	+1.5" / -4"
HZRDUS Red CB 50	5.0	5.9	51	Mid/High	At Once	No	+1.5" / -4"
	5.5	5.2	52	Mid/High	At Once	No	+1.5" / -4"
	6.0	4.8	52	Mid/High	At Once	No	+1.5" / -4"
HZRDUS Red CB 60	5.0	4.9	58	Mid/High	At Once	No	+1.5" / -4"
	5.5	4.7	58	Mid/High	At Once	No	+1.5" / -4"
	6.0	4.4	59	Mid/High	At Once	No	+1.5" / -4"

							
HZRDUS Smoke Black RDX 60	5.5	5.2	60	Low/Mid	At Once	Yes	+1.5" / -4"
	6.0	4.1	62	Low/Mid	At Once	Yes	+1.5" / -4"
	6.5	3.8	64	Low/Mid	At Once	Yes	+1.5" / -4"
	TX	3.2	64	Low/Mid	At Once	Yes	+1.5" / -4"
HZRDUS Smoke Black RDX 70	5.5	4.8	68	Low/Mid	At Once	Yes	+1.5" / -4"
	6.0	4.0	70	Low/Mid	At Once	Yes	+1.5" / -4"
	6.5	3.8	74	Low/Mid	At Once	Yes	+1.5" / -4"
	TX	2.7	74	Low/Mid	At Once	Yes	+1.5" / -4"
HZRDUS Smoke Black RDX 80	6.0	3.0	80	Low/Mid	At Once	Yes	+1.5" / -4"
	6.5	3.0	80	Low/Mid	At Once	Yes	+1.5" / -4"

							
HZRDUS Smoke Blue RDX 60	6.0	3.4	64	Low	Exotic	Yes	+1" / -4"
	6.5	3.4	64	Low	Exotic	Yes	+1" / -4"
HZRDUS Smoke Blue RDX 70	6.0	3.3	75	Low	Exotic	Yes	+1" / -4"
	6.5	3.3	75	Low	Exotic	Yes	+1" / -4"

							
Even Flow Riptide CB 50	5.5	4.9	54	Mid	Exotic	Yes	+1" / -4"
	6.0	4.9	55	Mid	Exotic	Yes	+1" / -4"
Even Flow Riptide CB 60	6.0	3.9	62	Mid	Exotic	Yes	+1" / -4"
	6.5	3.8	62	Mid	Exotic	Yes	+1" / -4"

							
Even Flow Riptide 50	5.5	5.4	53	Mid	Exotic	Yes	+1" / -4"
	6.0	5.4	53	Mid	Exotic	Yes	+1" / -4"
Even Flow Riptide 60	6.0	4.4	63	Mid	Exotic	Yes	+1" / -4"
	6.5	4.4	64	Mid	Exotic	Yes	+1" / -4"

DRIVER & FAIRWAY SHAFTS

VA COMPOSITES	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Drago 55	R	4.2	51	Mid	Exotic	Yes	+1" / -4"
	S	3.3	62	Low	Exotic	Yes	+1" / -4"
Drago 65	X	3.3	63	Low	Exotic	Yes	+1" / -4"
	S	3.3	74	Low	Exotic	Yes	+1" / -4"
Drago 75	X	3.3	77	Low	Exotic	Yes	+1" / -4"

		SPIN				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
LAUNCH	HIGH				KuroKage Black DC 5G 55/65HY	autoFlex HYB
					HZRDUS Red 4G 60/70HY	Ascent UL 50HY
						MMT SpeedMesh 40/50 HY
	MID-HIGH		Tour AD HY 85	Tensei AV Blue with XLink 65HY		
	MID	Tour AD IZ 85/95 Hybrid	Tour AD DI 85 Hybrid	Tensei AV Blue with XLink 75HY		
		Tour AD DI 105 Hybrid		Ventus Blue Velocore 7/8 HYB		
		KBS Tour		ATMOS HB Tour Spec Red 7		
				KBS Tour Proto 75/85		
	LOW-MID		ATMOS HB Tour Spec Blue 8			
			HZRDUS Black 4G 80/90HY			
			KBS Tour Proto 95/105			
	LOW	Ventus Black Velcore 9, 10 HYB	Tensei 1K Black 85/95HY			
			Tensei AV White RAW 90/100HY			
			ATMOS HB Tour Spec Black 9			

- NOTES:
- BECAUSE EVERY PLAYER LOADS AND RELEASES SHAFTS DIFFERENTLY, THE ABOVE CHART IS A RELATIVE (NOT ABSOLUTE)
 - MEASURE OF HOW EACH SHAFT PERFORMS, AND HOW THEY PERFORM RELATIVE TO EACH OTHER.
 - ALL THE ABOVE SHAFTS CAN BE USED IN BOTH HYBRIDS AND UTILITY IRONS.
 - REFER TO TITLEIST SHAFT PERFORMANCE GUIDE FOR MORE DETAILS.



ALDILA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Ascent UL 50 HY	R2	4.5	54	High	At Once	No	+2" / -4"
	R	4.1	55	High	At Once	No	+2" / -4"
	S	4.0	59	High	At Once	No	+2" / -4"
Ascent UL 40 HY	R3	5.0	44	High	At Once	No	+2" / -4"

DUMINA							
							
autoFlex 405	R3 (L flex)	6.2	50	High	Exotic	Yes	+2" / -4"
autoFlex 405X	R2 (A flex)	6.2	53	High	Exotic	Yes	+2" / -4"
autoFlex 505	R	6.2	56	High	Exotic	Yes	+2" / -4"
autoFlex 505X	S	4.9	58	High	Exotic	Yes	+2" / -4"

FST							
							
KBS Tour (Parallel Iron)	R	2.3	120	Mid	Exotic	No	+2" / -4"
	S	2.2	130	Mid	Exotic	No	+2" / -4"
	X	2.1	133	Mid	Exotic	No	+2" / -4"

							
KBS Tour Proto 75g	R	3.2	75	Mid	Exotic	Yes	+2" / -4"
	S	3.2	75	Mid	Exotic	Yes	+2" / -4"
	X	3.2	75	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 85g	R	3.0	85	Mid	Exotic	Yes	+2" / -4"
	R+	3.0	85	Mid	Exotic	Yes	+2" / -4"
	S	3.0	85	Mid	Exotic	Yes	+2" / -4"
	S+	3.0	85	Mid	Exotic	Yes	+2" / -4"
	X	3.0	85	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 95g	S	2.7	95	Mid	Exotic	Yes	+2" / -4"
	S+	2.7	95	Mid	Exotic	Yes	+2" / -4"
	X	2.7	95	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 105g	S	2.5	105	Mid	Exotic	Yes	+2" / -4"
	S+	2.5	105	Mid	Exotic	Yes	+2" / -4"
	X	2.5	105	Mid	Exotic	Yes	+2" / -4"

HYBRID & UTILITY SHAFTS

24

FUJIKURA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
New Ventus Blue Velcore 7	R	2.8	74	Mid	Exotic	Yes	+2" / -4"
	S	2.6	75	Mid	Exotic	Yes	+2" / -4"
Ventus Blue Velcore 8	S	2.4	86	Mid	Exotic	Yes	+2" / -4"
	X	2.2	86	Mid	Exotic	Yes	+2" / -4"

							
Ventus Black Velcore 9	TX	2.0	96	Low	Exotic	Yes	+2" / -4"
Ventus Black Velcore 10	TX	1.8	105	Low	Exotic	Yes	+2" / -4"

							
ATMOS HB Tour Spec Black 9	S	2.2	94	Low/Mid	At Once	No	+2" / -4"
	X	2.2	96	Low/Mid	At Once	No	+2" / -4"

							
ATMOS HB Tour Spec Blue 8	S	2.5	85	Low/Mid	At Once	No	+2" / -4"
	X	2.5	87	Low/Mid	At Once	No	+2" / -4"

							
ATMOS HB Tour Spec Red 7	R2	2.8	73	Mid	At Once	No	+2" / -4"
	R	2.7	75	Mid	At Once	No	+2" / -4"
	S	2.7	77	Mid	At Once	No	+2" / -4"

GRAPHITE DESIGN							
							
Tour AD DI-85 Hybrid	R	2.4	87	Mid	At Once	Yes	+2" / -4"
	S	2.4	88	Mid	At Once	Yes	+2" / -4"
	X	2.4	88	Mid	At Once	Yes	+2" / -4"
Tour AD DI-105 Hybrid	S	2.3	105	Mid	At Once	Yes	+2" / -4"
	X	2.3	107	Mid	At Once	Yes	+2" / -4"

HYBRID & UTILITY SHAFTS

25

GRAPHITE DESIGN	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Tour AD HY 85	R	2.4	88	Mid/High	Exotic	Yes	+2" / -4"
	S	2.4	88	Mid/High	Exotic	Yes	+2" / -4"
	X	2.4	89	Mid/High	Exotic	Yes	+2" / -4"

							
Tour AD IZ-85 Hybrid	S	2.4	86	Mid	At Once	Yes	+2" / -4"
	X	2.4	88	Mid	At Once	Yes	+2" / -4"
Tour AD IZ-95 Hybrid	S	2.1	96	Low/Mid	At Once	Yes	+2" / -4"
	X	2.1	97	Low/Mid	At Once	Yes	+2" / -4"

MCA							
							
MMT SpeedMesh 40 HY	R3	6.8	44	High	At Once	No	+2" / -4"
MMT SpeedMesh 50 HY	R2	6.7	48	High	At Once	No	+2" / -4"
	R	6.2	52	High	At Once	No	+2" / -4"
	S	6.1	55	High	At Once	No	+2" / -4"

							
Kuro Kage Black DC 5G 55 HY	R2	4.0	55	Mid/High	At Once	No	+2" / -4"
	R	3.9	58	Mid/High	At Once	No	+2" / -4"
	S	3.8	61	Mid/High	At Once	No	+2" / -4"
Kuro Kage Black DC 5G 65 HY	R	3.6	67	Mid/High	At Once	No	+2" / -4"
	S	3.5	70	Mid/High	At Once	No	+2" / -4"

							
Tensei AV Blue with Xlink Tech 65 HY	R	3.5	66	Mid	At Once	No	+2" / -4"
	S	3.5	69	Mid	At Once	No	+2" / -4"
	X	3.4	72	Mid	At Once	No	+2" / -4"
Tensei AV Blue with Xlink Tech 75 HY	R	3.0	76	Mid	At Once	No	+2" / -4"
	S	3.0	79	Mid	At Once	No	+2" / -4"
	X	2.8	82	Mid	At Once	No	+2" / -4"

MCA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
 Tensei 1K BLACK 85HY FLEX-S MITSUBISHI CHEMICAL							
Tensei 1K Black 85 HY	S	2.5	87	Low	At Once	No	+2" / -4"
	X	2.5	91	Low	At Once	No	+2" / -4"
Tensei 1K Black 95 HY	S	2.4	98	Low	At Once	No	+2" / -4"
	X	2.3	102	Low	At Once	No	+2" / -4"

 Tensei CK SERIES 90HY FLEX-S MITSUBISHI CHEMICAL							
Tensei AV White RAW 90 HY	S	2.5	91	Low	At Once	No	+2" / -4"
	X	2.5	94	Low	At Once	No	+2" / -4"
Tensei AV White RAW 100 HY	S	2.4	103	Low	At Once	No	+2" / -4"
	X	2.4	106	Low	At Once	No	+2" / -4"

PROJECT X							
 HZRDUS							
HZRDUS Black 4G 80 HY	5.5	2.3	77	Low/Mid	At Once	No	+2" / -4"
	6.0	2.1	79	Low/Mid	At Once	No	+2" / -4"
	6.5	2.1	81	Low/Mid	At Once	No	+2" / -4"
HZRDUS Black 4G 90 HY	6.0	2.3	90	Low/Mid	At Once	No	+2" / -4"
	6.5	2.1	92	Low/Mid	At Once	No	+2" / -4"

 HZRDUS							
HZRDUS Red 50 HY	4.0	4.0	56	Mid/High	At Once	No	+2" / -4"
HZRDUS Red 60 HY	5.0	4.0	58	Mid/High	At Once	No	+2" / -4"
	5.5	3.7	60	Mid/High	At Once	No	+2" / -4"
	6.0	3.2	62	Mid/High	At Once	No	+2" / -4"
HZRDUS Red 70 HY	5.5	3.2	73	Mid/High	At Once	No	+2" / -4"
	6.0	3.1	74	Mid/High	At Once	No	+2" / -4"

		SPIN				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
LAUNCH	HIGH				NS Pro 850GH	Fubuki MV IR 44/50/55
				NS Pro 950GH	NS Pro 880 AMC	Tensei AV Red AM2
						Zelos 7
						Max Graphite Iron 45/55
	MID-HIGH			NS PRO 950GH neo	Tensei AV Blue AM2	
				Dynamic Gold Mid 100	Recoil 65	
				SteelFiber i80cw	AMT Red/Onyx	
				NS Pro 105T	Players Graphite Iron	
				AMT Black/Onyx		
	MID		Tour AD DI 95 Driving Iron	KBS Tour Lite	Tour Graphite Iron	
			Project X IO	NS Pro MODUS 3 Tour 105		
			KBS C-Taper Lite	Dynamic Gold Mid 115		
			MMT Taper Iron 105	KBS S-Taper Lite		
			NS Pro MODUS 3 Tour 120	Tensei AV White AM2		
			Dynamic Gold Mid Tour Issue 130	Tour AD 75/85/95		
				MMT Taper Iron 95		
				Recoil 95		
	LOW-MID		Project X LZ 6.0/Onyx	Dynamic Gold 105		
			MMT Taper Iron 125	Steelfiber i110cw		
			KBS Tour	KBS S-Taper		
			NS Pro MODUS 3 Tour 125	Dynamic Gold 120		
				Steelfiber i95cw		
	LOW	Dynamic Gold	KBS Tour V			
		Dynamic Gold Tour Issue/Onyx	AMT Tour White/Onyx			
		Project X	KBS C-Taper			
		Project X LS	NS Pro MODUS 3 Tour 130			
		Dynamic Gold X7				

- NOTES:
- BECAUSE EVERY PLAYER LOADS AND RELEASES SHAFTS DIFFERENTLY, THE ABOVE CHART IS A RELATIVE (NOT ABSOLUTE)
 - MEASURE OF HOW EACH SHAFT PERFORMS, AND HOW THEY PERFORM RELATIVE TO EACH OTHER.
 - ALL THE ABOVE SHAFTS CAN BE USED IN BOTH HYBRIDS AND UTILITY IRONS.
 - REFER TO TITLEIST SHAFT PERFORMANCE GUIDE FOR MORE DETAILS.

AEROTECH	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
SteelFiber i80cw	R	2.9-2.5	85	Mid/High	At Once	Yes	+2" / -4"
	S	2.9-2.5	85	Mid/High	At Once	Yes	+2" / -4"
SteelFiber i95cw	R	2.5-2.1	95	Low/Mid	At Once	Yes	+2" / -4"
	S	2.4-2.0	95	Low/Mid	At Once	Yes	+2" / -4"
	X	2.3-1.8	95	Low/Mid	Exotic	Yes	+2" / -4"
SteelFiber i110cw	R	2.1-1.7	110	Low/Mid	Exotic	Yes	+2" / -4"
	S	1.9-1.5	110	Low/Mid	At Once	Yes	+2" / -4"
	X	1.9-1.5	110	Low/Mid	Exotic	Yes	+2" / -4"

FST							
							
KBS \$-Taper	R	2.1-1.9	110	Low/Mid	Exotic	Yes	+2" / -4"
	R+	2.0-1.8	115	Low/Mid	Exotic	Yes	+2" / -4"
	S	2.2-2.0	120	Low/Mid	At Once	Yes	+2" / -4"
	S+	1.9-1.7	125	Low/Mid	Exotic	Yes	+2" / -4"
	X	1.8-1.6	130	Low/Mid	Exotic	Yes	+2" / -4"

							
KBS \$-Taper Lite	R	2.5-2.1	95	Mid	Exotic	Yes	+2" / -4"
	S	2.3-2.0	100	Mid	Exotic	Yes	+2" / -4"
	X	2.2-1.9	105	Mid	Exotic	Yes	+2" / -4"

							
KBS 610 Wedge (Wedge Only)	R	1.6	110	Low	At Once	Yes	+2" / -4"
	S	1.5	120	Low	At Once	Yes	+2" / -4"
	S+	1.5	125	Low	At Once	Yes	+2" / -4"

							
KBS C-Taper	R	2.0-1.8	110	Low	At Once	Yes	+2" / -4"
	R+	1.9-1.7	115	Low	At Once	Yes	+2" / -4"
	S	1.8-1.6	120	Low	At Once	Yes	+2" / -4"
	S+	1.7-1.5	125	Low	At Once	Yes	+2" / -4"
	X	1.6-1.4	130	Low	At Once	Yes	+2" / -4"

FST	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
KBS C-Taper Lite	R	2.1-1.9	105	Mid	At Once	Yes	+2" / -4"
	S	2.0-1.8	110	Mid	At Once	Yes	+2" / -4"
	X	1.9-1.7	115	Mid	At Once	Yes	+2" / -4"

							
KBS Hi-Rev 2.0 (Wedge Only)	R	1.7	115	Mid	At Once	Yes	+2" / -4"
	S	1.5	125	Mid	At Once	Yes	+2" / -4"
	X	1.4	135	Mid/High	At Once	Yes	+2" / -4"

							
KBS Tour	R	2.1-1.9	110	Low/Mid	At Once	No	+2" / -4"
	R+	2.0-1.8	115	Low/Mid	At Once	No	+2" / -4"
	S	1.9-1.7	120	Low/Mid	At Once	No	+2" / -4"
	S+	1.8-1.6	125	Low/Mid	At Once	No	+2" / -4"
	X	1.7-1.5	130	Low/Mid	At Once	No	+2" / -4"

							
KBS Tour V	R	2.0-1.8	100	Low	Exotic	Yes	+2" / -4"
	S	1.9-1.7	110	Low	At Once	Yes	+2" / -4"
	X	1.8-1.6	120	Low	At Once	Yes	+2" / -4"

							
KBS Tour Lite	R	2.3-2.0	95	Mid/High	At Once	No	+2" / -4"
	S	2.1-1.8	100	Mid/High	At Once	No	+2" / -4"

							
Tour Graphite Iron	S+	2.9	90	Mid	At Once	Yes	+1.25" / -4"

							
Player Graphite Iron	R	3.6	70	Mid/High	At Once	Yes	+1.25" / -4"

IRON & WEDGE SHAFTS

30


FST	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
New Max Iron	A	4.2	50	High	At Once	Yes	+1.25" / -4"
	L	6.5	45	High	At Once	Yes	+2" / -4"

GRAPHITE DESIGN							
							
Tour AD 95g Driving Iron	S	2.2	98	Mid	Exotic	Yes	+0.5" / -4"
	X	2.2	99	Mid	Exotic	Yes	+0.5" / -4"

							
Tour AD 75	R	2.8	78	Mid	Exotic	Yes	+1.25" / -4"
	S	2.8	78	Mid	Exotic	Yes	+1.25" / -4"
Tour AD 85	R	2.4	89	Mid	Exotic	Yes	+1.25" / -4"
	S	2.4	89	Mid	Exotic	Yes	+1.25" / -4"
Tour AD 95	S	2.2	98	Mid	Exotic	Yes	+1.25" / -4"
	X	2.2	99	Mid	Exotic	Yes	+1.25" / -4"

MCA							
							
Fubuki MV IR 44	L	4.4-4.1	45	High	At Once	No	+2" / -4"
Fubuki MV IR 50	A	4.4-4.0	48	High	At Once	No	+2" / -4"
Fubuki MV IR 55	R	3.4-3.0	55	High	At Once	No	+2" / -4"

							
MMT Taper Iron 125	TX	2.7	125	Low/Mid	At Once	Yes	+1.25" / -4"

							
MMT Taper Iron 105	S	2.8	105	Low/Mid	At Once	Yes	+1.25" / -4"
	TX	2.8	113	Low/Mid	At Once	Yes	+1.25" / -4"

							
MMT Taper Iron 95	S	2.9	95	Mid	At Once	Yes	+1.25" / -4"

MCA	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Tensei AV Red AM2	L	4.6-3.3	48-48-56 (4-7-W)	High	At Once	No	+2" / -4"
	A	4.4-3.0	55-55-63 (4-7-W)	High	At Once	No	+2" / -4"
	R	4.5-3.0	57-57-65 (3-7-W)	High	At Once	No	+2" / -4"
	S	4.5-2.9	60-60-68 (3-7-W)	High	At Once	No	+2" / -4"

							
Tensei AV Blue AM2	R	3.3-2.6	70-78-86 (3-7-W)	Mid/High	At Once	No	+2" / -4"
	S	3.5-2.6	70-80-88 (2-7-W)	Mid/High	At Once	No	+2" / -4"

							
Tensei AV White AM2	S	3.1-2.1	88-100-108 (1-7-W)	Low/Mid	At Once	No	+2" / -4"
	X	3.0-2.1	90-102-110 (1-7-W)	Low/Mid	At Once	No	+2" / -4"

NIPPON							
							
NS Pro 950GH neo	R	1.9	94.5	Mid/High	Exotic	Yes	+0.75" / -2"
	S	1.7	98	Mid/High	Exotic	Yes	+0.75" / -2"
	X	1.6	104	Mid/High	Exotic	Yes	+0.75" / -2"

							
NS Pro Modus 3 Tour 105	R	1.9	103	Mid	At Once	No	+2" / -4"
	S	1.7	105	Mid	At Once	No	+2" / -4"
	X	1.6	112	Mid	At Once	No	+2" / -4"

							
NS Pro Modus 3 Tour 120	R	1.8	111	Mid	At Once	No	+2" / -4"
	S	1.7	114	Mid	At Once	No	+2" / -4"
	X	1.6	120	Mid	At Once	No	+2" / -4"

							
NS Pro Modus 3 Tour 125	R	1.7	127	Low/Mid	Exotic	Yes	+2" / -4"
	S	1.5	128	Low/Mid	Exotic (Wedge At Once)	Yes	+2" / -4"
	X	1.4	129	Low/Mid	Exotic (Wedge At Once)	Yes	+2" / -4"

NIPPON	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
NS Pro Modus 3 Tour 130	R	1.8-1.3	121	Low	Exotic	Yes	+2" / -4"
	S	1.7-1.2	124	Low	At Once	Yes	+2" / -4"
	X	1.6-1.2	129	Low	At Once	Yes	+2" / -4"
							
NS Pro 850GH	R	2.1	87	High	At Once	Yes	+1.75" / -4"
	S	1.9	91	High	At Once	Yes	+1.75" / -4"
							
NS Pro 880 AMC	R	2.5-2.0	93-105-105 (4-8-W)	High	At Once	Yes	+2" / -4"
	S	2.1-1.9	95-107-107 (4-8-W)	High	At Once	Yes	+2" / -4"
							
NS Pro 880 AMC (Chrome Finish)	R	2.5-2.0	93-105-105 (4-8-W)	High	At Once	No	+2" / -4"
	S	2.1-1.9	95-107-107 (4-8-W)	High	At Once	No	+2" / -4"
							
NS Pro 950GH	R	2.3-1.8	95	High	At Once	No	+1.75" / -4"
	S	2.0-1.6	98	High	At Once	No	+1.75" / -4"
	X	1.9-1.4	104	High	Exotic	No	+1.75" / -4"
							
Titleist NS Pro 105T	R	2.2-1.9	110	Mid/High	At Once	No	+2" / -4"
	S	2.2-1.8	113	Mid/High	At Once	No	+2" / -4"
	X	2.1-1.6	115	Mid/High	At Once	No	+2" / -4"
							
Zelos 7	R2	2.9	73	High	At Once	Yes	+0.75" / -4"
	R	2.8	74	High	At Once	Yes	+0.75" / -4"
	S	2.6	77	High	At Once	Yes	+0.75" / -4"

PROJECT X	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
-----------	------	------------	------------	--------	--------------	----------	----------------



Project X IO	5.5	2.3-2.0	105	Mid/High	Exotic	Yes	+2" / -4"
	6.0	2.2-1.9	110	Mid	Exotic	Yes	+2" / -4"



Project X LS	6.0	2.1-1.8	120	Low	Exotic	Yes	+2" / -4"
	6.5	1.9-1.6	125	Low	Exotic	Yes	+2" / -4"



Project X	5.0	1.8-1.6	115	Low	At Once	No	+2" / -4"
	5.5	1.8-1.6	115	Low	At Once	No	+2" / -4"
	6.0	1.7-1.5	120	Low	At Once	No	+2" / -4"
	6.5	1.7-1.5	125	Low	At Once	No	+2" / -4"
	7.0	1.6-1.4	130	Low	At Once	No	+2" / -4"



Project X LZ	5.0	2.1-1.8	110	Low/Mid	At Once	No	+2" / -4"
	5.5	2.0-1.7	115	Low/Mid	At Once	No	+2" / -4"
	6.0	1.9-1.6	120	Low/Mid	At Once	No	+2" / -4"
	6.5	1.8-1.5	125	Low/Mid	At Once	No	+2" / -4"



Project X LZ Onyx	6.0	1.9-1.6	120	Low/Mid	Exotic	Yes	+2" / -4"
	6.5	1.8-1.5	125	Low/Mid	Exotic	Yes	+2" / -4"



Project X Wedge	5.5	1.7	115	Low/Mid	At Once	Yes	+2" / -4"
	6.0	1.7	120	Low/Mid	At Once	Yes	+2" / -4"
	6.5	1.7	125	Low/Mid	At Once	Yes	+2" / -4"

TRUE TEMPER	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
AMT Black	R300	2.3-1.9	94-115 (2-W)	Mid/High	At Once	No	+2" / -4"
	S300	2.1-1.7	95-116 (2-W)	Mid/High	At Once	No	+2" / -4"
							
AMT Black Onyx	R300	2.3-1.9	94-115 (4-W)	Mid/High	At Once	Yes	+2" / -4"
	S300	2.1-1.7	95-116 (4-W)	Mid/High	At Once	Yes	+2" / -4"
							
AMT Red	R300	2.3-1.9	94-94-106 (2-7-W)	Mid/High	At Once	No	+2" / -4"
	S300	2.1-1.8	95-95-107 (2-7-W)	Mid/High	At Once	No	+2" / -4"
							
AMT Red Onyx	R300	2.3-1.9	94-94-106 (4-7-W)	Mid/High	At Once	Yes	+2" / -4"
	S300	2.1-1.8	95-95-107 (4-7-W)	Mid/High	At Once	Yes	+2" / -4"
							
AMT Tour White	R300	2.4-1.8	103-127 (1-9/P)	Low	At Once	No	+2" / -4"
	S200	2.2-1.6	106-130 (1-9/P)	Low	At Once	No	+2" / -4"
	S300	2.2-1.6	106-130 (1-9/P)	Low	At Once	No	+2" / -4"
	S400	2.2-1.6	106-130 (1-9/P)	Low	At Once	No	+2" / -4"
	X100	2.0-1.5	106-130 (1-9/P)	Low	At Once	No	+2" / -4"
							
AMT Tour White Onyx	R300	2.4-1.8	103-127 (1-9/P)	Low	At Once	Yes	+2" / -4"
	S300	2.2-1.6	106-130 (1-9/P)	Low	At Once	Yes	+2" / -4"
	X100	2.0-1.5	106-130 (1-9/P)	Low	At Once	Yes	+2" / -4"
							
Dynamic Gold Mid Tour Issue 130	X100	1.6	130	Mid	At Once	Yes	+2" / -4"

TRUE TEMPER	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Dynamic Gold Mid 115	S300	1.9	115	Mid	At Once	Yes	+2" / -4"
	X100	1.8	116	Mid	At Once	Yes	+2" / -4"
							
Dynamic Gold Mid 100	R300	2.3	105	Mid/High	At Once	Yes	+2" / -4"
	S300	2.1	105	Mid/High	At Once	Yes	+2" / -4"
							
Dynamic Gold	R300	2.0-1.7	127	Low	At Once	No	+2" / -4"
	S200	1.8-1.5	129	Low	At Once	No	+2" / -4"
	S300	1.8-1.5	130	Low	At Once	No	+2" / -4"
	S400	1.7-1.5	132	Low	At Once	No	+2" / -4"
	X100	1.7-1.4	130	Low	At Once	No	+2" / -4"
							
Dynamic Gold Onyx (Wedge Only)	S200	1.5	129	Low	At Once	Yes	+2" / -4"
							
Dynamic Gold Tour Issue Onyx (Wedge Only)	S400	1.5	132	Low	At Once	Yes	+2" / -4"
	X100	1.4	130	Low	At Once	Yes	+2" / -4"
							
Dynamic Gold 105	R300	2.2-1.9	101	Low/Mid	At Once	Yes	+2" / -4"
	S300	2.1-1.8	103	Low/Mid	At Once	Yes	+2" / -4"
	WEDGE	1.9	101	Low/Mid	At Once	Yes	+2" / -4"
							
Dynamic Gold 105 Onyx (Wedge Only)	WEDGE	1.9	101	Low/Mid	At Once	Yes	2" / -4"

TRUE TEMPER	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
							
Dynamic Gold 115 (Wedge Only)	S300	1.7	115	Mid	At Once	Yes	+2" / -4"

							
Dynamic Gold 120	S300	2.0-1.7	118	Low/Mid	At Once	Yes	+2" / -4"
	X100	1.9-1.6	120	Low/Mid	At Once	Yes	+2" / -4"

							
Dynamic Gold Tour Issue	S400	1.7-1.5	132	Low	At Once	Yes	+2" / -4"
	X100	1.7-1.4	130	Low	At Once	Yes	+2" / -4"

							
Dynamic Gold X7	X7	1.7-1.4	132	Low	Exotic	Yes	+2" / -4"

UST							
							
Recoil 65	F2 (A)	3.8	64	Mid/High	At Once	No	+2" / -4"
	F3 (R)	3.8	65	Mid/High	At Once	No	+2" / -4"
	F4 (S)	3.8	66	Mid/High	At Once	No	+2" / -4"

							
Recoil 95	F3 (R)	4.1-2.7	95	Mid	At Once	No	+2" / -4"
	F4 (S)	4.1-2.7	95	Mid	At Once	No	+2" / -4"

DRIVER/FAIRWAY/HYBRID WEIGHTS



WEIGHT	TSR1 / TSR2 / TSR4 DRIVER, FAIRWAY & HYBRID	TSR3 DRIVER	TSR3 FAIRWAY & HYBRID
-6g	TSRWEIGHT3G		
-4g	TSRWEIGHT5G	TSR3DWEIGHT4G	TSR3FWEIGHT9G
-2g	TSRWEIGHT7G	TSR3DWEIGHT6G	TSR3FWEIGHT11G
Standard	TSRWEIGHT9G	TSR3DWEIGHT8G	TSR3FWEIGHT13G
+2g	TSRWEIGHT11G	TSR3DWEIGHT10G	TSR3FWEIGHT15G
+4g	TSRWEIGHT13G	TSR3DWEIGHT12G	TSR3FWEIGHT17G
+6g	TSRWEIGHT15G	TSR3DWEIGHT14G	TSR3FWEIGHT19G



TSR DRIVER & FAIRWAY WEIGHT KIT	SUREFIT WRENCH
TSRWEIGHTKIT	TITLEISTWRENCH



SUPER SELECT	33"	34"	35"	38"
Newport	40g	35g	30g	-
Newport +	20g	15g	10g	-
Newport 2	40g	35g	30g	-
Newport 2+	20g	15g	10g	-
Newport 2.5+	20g	15g	10g	-
Del Mar	20g	15g	10g	-
Fastback 1.5	20g	15g	10g	-
GOL0 6	20g	15g	10g	-
GOL0 6.5	20g	15g	10g	-
Squareback 2	20g	15g	10g	-
Squareback 2 Long	-	-	-	25g

PHANTOM	33"	34"	35"	38"
5	20g	15g	10g	-
5s	20g	15g	10g	-
5.5	20g	15g	10g	-
7	20g	15g	10g	-
7.5	20g	15g	10g	-
9	20g	15g	10g	-
9.5	20g	15g	10g	-
11	20g	15g	10g	-
11.5	20g	15g	10g	-
11 Long	-	-	-	25g

GOLF PRIDE	CORE DIAMETER	WEIGHT (g)	UPCHARGE
			
Titleist Universal 360°	.580	52	No
	.600	50	No

			
Tour Velvet 360° No Fill Flat Cap (TSR & TSR1 Hybrid Custom Grip)	.560	55	No
Tour Velvet 360° No Fill Flat Cap (TSR & TSR1 Hybrid Stock Mens Grip)	.580	52	No
Tour Velvet 360° No Fill Flat Cap (TSR & TSR1 Hybrid Custom Grip)	.600	50	No
Tour Velvet 360° No Fill Flat Cap (TSR & TSR1 Hybrid Stock Ladies Grip)	U.580	44	No
Tour Velvet 360° No Fill Flat Cap (TSR & TSR1 Hybrid Custom Grip)	U.600	40	No
Tour Velvet 360° No Fill Flat Cap (TSR Midsize Grip/Ribbed Grip)	.600	53.5	No

			
Tour Velvet 360° Gray Flat Cap (TSi Stock Mens Grip)	.580	52	No
Tour Velvet 360° Gray Flat Cap (TSi Custom Grip)	.600	50	No
Tour Velvet 360° Gray Flat Cap (TSi Stock Ladies Grip)	U.580	44	No
Tour Velvet 360° Gray Flat Cap (TSi Custom Grip)	U.600	40	No
Tour Velvet 360° Gray Flat Cap (TSi Midsize Grip)	.600	53.5	No
Tour Velvet 360° Gray Flat Cap (TSi Midsize Ribbed Grip)	.560	53.5	No

			
Tour Velvet 360° White Flat Cap (T-Series & 620 Stock Grip)	.560	55	No
Tour Velvet 360° White Flat Cap (T-Series & 620 Stock Grip)	.580	52	No
Tour Velvet 360° White Flat Cap (T-Series & 620 Stock Grip)	.600	50	No
Tour Velvet 360° White Flat Cap (T-Series & 620 Stock Grip)	U.580	44	No
Tour Velvet 360° White Flat Cap (T-Series & 620 Stock Grip)	U.600	40	No
Tour Velvet 360° White Flat Cap Midsize	.600	53	No
Tour Velvet 360° White Flat Cap Midsize	.600 Ribbed	53.5	No

			
Tour Velvet 360° Lite+ Flat Dark Gray Cap (TSR1 Fairway Stock Grip)	.580	44	No
Tour Velvet 360° Lite+ Flat Dark Gray Cap (TSR1 Custom Grip)	.600	42	No
Tour Velvet 360° Lite+ Flat Dark Gray Cap (TSR1 Fairway Stock Ladies Grip)	U.580	35.5	No
Tour Velvet 360° Lite+ Flat Dark Gray Cap (TSR1 Fairway Custom Grip)	U.600	33	No

			
Tour Velvet 360° Lite Flat Gray Cap (TSR1 Driver Midsize Grip)	.580	31	No
Tour Velvet 360° Lite Flat Gray Cap (TSR1 Driver Custom Grip)	.600	30	No
Tour Velvet 360° Lite Flat Gray Cap (TSR1 Driver Stock Ladies Grip)	U.580	26	No
Tour Velvet 360° Lite Flat Gray Cap (TSR1 Driver Custom Grip)	U.600	25	No

GOLF PRIDE	CORE DIAMETER	WEIGHT (g)	UPCHARGE
A black golf grip with a fine, woven texture. The Golf Pride logo is visible on the left end.			
Tour Velvet 360° Gray (TS Custom Grip)	.580	52	No
Tour Velvet 360° Gray (TS Stock Mens Grip)	.600	50	No
Tour Velvet 360° Gray (TS Custom Grip)	U.580	44	No

A black golf grip with a fine, woven texture. The Titleist logo is visible on the right end.			
Titleist Tour Velvet	.560	55	No
	.580	52	No
	.600	50	Not
Titleist Tour Velvet Junior	.500	45	Yes

A black golf grip with a fine, woven texture. The Titleist logo is visible on the right end.			
Titleist Tour Velvet Cord	.580	52.5	Yes

A black golf grip with a fine, woven texture. The Golf Pride logo is visible on the right end.			
Tour Velvet	.580	51.5	No
	.600	49.5	No
Tour Velvet Midsize	.600	53.5	Yes
Tour Velvet Plus 4	.600	52	Yes
Tour Velvet Jumbo	.600	61	Yes

A black golf grip with a fine, woven texture. The Golf Pride logo and 'ALIGN' text are visible on the right end.			
Tour Velvet Align	.600	51.5	Yes

A black golf grip with a fine, woven texture. The Golf Pride logo is visible on the right end.			
Tour Velvet BCT Cord Black	.580	52.5	Yes
	.600	50.5	Yes

A black golf grip with a fine, woven texture. The Titleist logo is visible on the left end.			
Titleist Tour Velvet 360° Black	.580	52	Yes
	.600	50	Yes

GOLF PRIDE	CORE DIAMETER	WEIGHT (g)	UPCHARGE
			
CP2 Wrap	.600	51.5	Yes
CP2 Wrap Midsize	.600	63.5	Yes

			
CP2 Pro	.600	51.5	Yes

			
MCC Red	.600	46.5	Yes
MCC Red Midsize	.600	59	Yes

			
MCC White	.600	46.5	Yes

			
MCC Black	.600	46.5	Yes
MCC Black Midsize	.600	59	Yes

			
MCC Blue	.600	46.5	Yes

			
MCC Align White	.600	51	Yes

			
MCC + 4 Align Gray	.600	53	Yes



GOLF PRIDE	CORE DIAMETER	WEIGHT (g)	UPCHARGE
			
MCC +4 Blue	.600	50	Yes
MCC +4 Blue Midsize	.600	66	Yes
			
MCC +4 Gray	.600	48	Yes
			
MCC +4 Orange	.600	48	Yes
			
MCC +4 Red	.600	48	Yes
			
Tour Wrap 2G	.580 .600	50 48	Yes Yes
Tour Wrap 2G Midsize	.600	58	Yes
			
Tour Wrap 2G Red	.600	48	Yes
			
Tour Wrap 2G White	.600	48	Yes
			
Z-Grip Align	.600	50.5	Yes

GOLF PRIDE	CORE DIAMETER	WEIGHT (g)	UPCHARGE
			
Z-Grip Cord	.600	50.5	Yes

			
Z-Grip - Non Cord	.580 .600	52 50	Yes Yes

IOMIC			
			
Sticky 2.3 Black	.600	50	Yes


			
Sticky 2.3 Dark Blue	.600	50	Yes

			
Sticky 2.3 Orange	.600	50	Yes


			
Sticky 2.3 Red	.600	50	Yes

LAMKIN			
			
Crossline	.580	52	Yes

			
Crossline Cord	.580	54	Yes

LAMKIN	CORE DIAMETER	WEIGHT (g)	UPCHARGE
			
Crossline 360	.600	51	Yes
			
Sonar	.600	53	Yes
Sonar Midsize	.600	57	Yes
			
Sonar Tour	.600	52	Yes
			
Sonar Wrap	.600	53	Yes
Sonar Wrap Midsize	.600	57	Yes
			
UTX Cord Gray	.580	52	Yes
UTX Cord Midsize Gray	.580	63	Yes
WINN			
			
Excel Wrap Standard	.600	42	Yes
Excel Wrap Midsize	.600	43	Yes
			
Dri-Tac Standard	.600	48	Yes
			
Dri-Tac Midsize	.600	49	Yes



WINN	CORE DIAMETER	WEIGHT (g)	UPCHARGE
			
Dri-Tac Oversize	.600	50	Yes
			
Dri-Tac Ladies	.590	35	Yes

SCOTTY CAMERON®		GRIP LENGTH (In)	WEIGHT (g)
			
Matador Red Small		10	77
Matador Red Medium		11	84
Matador Red Large		11	65

			
Matador Black/Red Small		10	77
Matador Black/Red Medium		11	84
Matador Black/Red Large		11	65

			
Matador Black/Silver Small		10	77
Matador Black/Silver Medium		11	84
Matador Black/Silver Large		11	65

			
Matador Gray Small		10	77
Matador Gray Medium		11	84
Matador Gray Large		11	65

			
Pistolini Red		10	80


			
Pistolini Black		10	80

			
Pistolini Plus		11	80

PUTTER GRIPS

SCOTTY CAMERON®	GRIP LENGTH (In)	WEIGHT (g)
		
Pistolini Plus Textured (Super Select 2023)	11	80
		
Pistolero Red	10	80
		
Pistolero Black	10	80
		
Pistolero Plus	11	81
		
Pistolero Plus Textured (Phantom X 2022)	11	82
		
New 2024 Full Contact Paddle Grip	10.5	80



VOKEY DESIGN®	CORE DIAMETER	WEIGHT (g)
		
Vokey Titleist Universal 360°	.580	52
	.600	50
		
Vokey Titleist Universal 360° White Fill	.580	52
	.600	50
		
Vokey Tour Velvet 360° White Flat Cap	.580	52
	.600	50
		
Vokey Tour Velvet 360°	.580	52
	.600	50
		
Vokey Golf Pride Tour Velvet 360°	.580	52
	.600	50
		
Vokey Tour Velvet 360° Black	.580	52
	.600	50
		
Vokey Multi-Compound White	.600	46.5
		
Vokey Multi-Compound Red	.600	46.5



WEDGE GRIPS

VOKEY DESIGN®	CORE DIAMETER	WEIGHT (g)
		
Vokey Multi-Compound Blue/White	.600	46.5
		
Vokey Multi-Compound Blue	.600	46.5
		
Vokey MCC Plus 4 Blue	.600	52
		
Vokey Platinum Blue	.600	49.5
		
Vokey Sticky 2.3 Red	.600	50
		
Vokey Tour Velvet Black	.580	51.5
	.600	49.5
		
Vokey Tour Velvet Cord Black	.580	46.5
		
Vokey Z Cord Black	.600	50.5
		
Vokey Z Patriot	.600	50

Vokey Design® wedges can be built to a wide range of custom specifications and personalized through our new WedgeWorks Services program. A variety of options are available including special BV grips, custom ferrules and Vokey shaftbands.

STAMPING AND PERSONALIZATION

Characters Available	Letters A - Z (all caps) / Numbers 0 - 9 / Special Characters #*@\$%- / Symbols
Character Limits	Straight/Freestyle: SM8 - (10) Characters Snow Initials: (2) Characters Snow Symbols: (1) Character Staircase: (5) Characters Curve: (15) Characters Two Lines: (10 per line) Characters
Stamping Styles	Straight / Freestyle / Snow Initials / Snow Symbols / Staircase / Curve / Two Lines: Straight or Freestyle

HAND STAMPING



Straight




Freestyle



Curve (Follows the edge of the topline)



Two Lines: Straight (or Freestyle)



Snow



Staircase

SNOW SYMBOL STAMPING



Dots



Saw



Clover




Happy Face



Star




Hammer



BV



Heart



Diamond



Foot



Skull

TOE ENGRAVING



BV Wings



BV Custom Wedges



Up and Down



Clover



Tour Saw



Delta Saw

Note: Toe Engraving only available with straight, freestyle, snow and staircase stamping.

BV WINGS COLOR

Available in Limited Color Combos: White/Black, Black/White, Gold/Black, White/White, Black/Black, Silver/Black



Black/White



White/Black*



Gold/Black*



Silver/Black*



Black/Black*



White/White*

PAINT COLORS

Customize loft, bounce and grind with up to 3 different paintfills.



Black



White



Pink



Red



Orange



Yellow



Lime Green



Irish Green



Carolina Blue



Navy Blue



Purple



Gold

LOFT/BOUNCE/GRIND



BV SHAFT BANDS



BV Ticket



BV Clover



Vokey Design BV Purple



BV Pink



BV Turquoise



BV Black



BV Blue and Yellow



BV Red, White, Blue



Vokey WedgeWorks



BV WedgeWorks



WW Exclusive Blue



WW Exclusive Red


SHAFT LASER ETCHING

Characters Available Letters A - Z (all caps) / Numbers 0 - 9


Character Limits 20




CUSTOM FERRULES



Black



Custom Silver



Custom Chrome



Custom Gold

WW FLIGHT LINES



Black *Tour Chrome Only



White





Titleist®