

Titleist®

Custom Club Options Booklet



Updated June 1st 2026

Availability subject to change at anytime.

To build the world's best golf clubs, you need the world's best selection of components.

As the industry leader in fitting and building custom golf clubs, we strive to design the best performing products, develop the highest quality fitting methodologies and tools, and offer the largest selection of component and specification options.

Titleist[®]



APER S
#1"
KBS C-TAPER S #3=40.5" - 9.PW=37.5
KBS C-TAPER S
KBS TOUR X #4=40"
KBS TOUR X #3=40.5"
KBS TOUR X #2=41"
KBS TOUR X #3=40.5" - 9.PW=37.5
KBS TOUR X

3 TOUR 105 X
MODUS 3 TOUR 105 X #3=40.5" - PW=37"
MODUS 3 TOUR 105 X #3=40.5" - PW=37"
KBS C-TAPER X #4=40"
KBS C-TAPER X #3=40.5"
KBS C-TAPER X #2=41"
KBS C-TAPER X #3=40.5" - 9.PW=37.5
KBS C-TAPER X

RO 850 R
NS PRO 850 R
NS PRO 950 S #3=38.5" - PW=35"
NS PRO 950 S #3=38.5" - PW=35"
NS PRO 950 R #3=38.5" - PW=35"
NS PRO 950 R

NS PRO 1050 X #3=38.5" - PW=35"
NS PRO 1050 R #3=38.5" - PW=35"
NS PRO 950 X #3=38.5" - PW=35"
FIBER 95 R

R 110 X
FIBER 110 X
PXI 5.5 #3=40" - PW=36.5"
PXI 5.5 #3=40" - PW=36.5"
PXI 6.5 #3=40" - PW=36.5"
PXI 6.5 #3=40" - PW=36.5"

Most Recent Updates

Added

Driver & Fairway Shafts

- Accra Shogun Red 62 / 72 – M5 / M4 (X/S)
- Accra Shogun Green 62 / 72 – M5 / M4 (X/S)
- KBS Max HL – R2 / R / S

Hybrid Shafts

- KBS Max HL – R / R+ / S
- GOST / GOST HL – TX / X / Tour S / S / HL

Grips

- Golf Pride Align Max – STD & +4
- Golf Pride CP2 Wrap Undersize
- Golf Pride CP2 Pro Undersize
- Golf Pride MCC +4 Gray Midsize
- Iomic Sticky Army 1.0 – Milky Pink / Sky Blue / Lavender
- Iomic Sticky 2.3 – Purple / Blue

Removed

Driver & Fairway Shafts

- MCA Kuro Kage DC SFW 40 – All Flexes
- MCA Kuro Kage DC 5G SFW 50 – All Flexes
- MCA Kuro Kage Black DC 45 – All Flexes
- MCA Kuro Kage Black DC 5G 55 – All Flexes
- MCA Tensei 1K Pro White 60/70 – All Flexes
- Project X Hzrdus T1100 HC 60 / 70 – All Flexes
- Project X Hzrdus Black 4G 60/70/80 – All Flexes
- Project X Hzrdus Smoke Black RDX 60/70/80 – All Flexes
- Project X Hzrdus Smoke Blue RDX 60/70 – All Flexes

Hybrid Shafts

- Fujikura Atmos HB Tour Spec Black / Blue / Red – All Flexes
- MCA Tensei AV White Raw 90 HY
- Project X Hzrdus Black 4G 90 HY – All Flexes

Iron Shafts

- UST Recoil 90 – F4 (S) only

Grips

- Golf Pride Tour Velvet 360* No Fill Flat Cap (TSR Grip) – All sizes

Table of Contents

Club Spec Option Summary	6
Featured Shaft & Grip Option Summary	7
Product Comparison.....	9
Driver & Fairway Shaft Comparison.....	11
Driver & Fairway Shafts	12
Hybrid & Utility Shaft Comparison	25
Hybrid & Utility Shafts.....	26
Iron & Wedge Shaft Comparison.....	32
Iron & Wedge Shafts.....	33
Driver & Fairway Weights.....	44
Fairway & Hybrid Weights.....	45
Putter Weights	46
Grips.....	47
Putter Grips	57
Wedge Grips	60
Vokey WedgeWorks Services	63

Club Spec Option Summary

DRIVERS	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS
GT1	9.0°, 10.0°, 12.0°	-7.5° to +1.5°	59.0°	-7.5° to +1.5°	45.5"
New GTS2	8.0°, 9.0°, 10.0°, 11.0°	-7.5° to +1.5°	58.5°	-7.5° to +1.5°	45.5"
New GTS3	8.0°, 9.0°, 10.0°, 11.0°	-7.5° to +1.5°	58.5°	-7.5° to +1.5°	45.5"
New GTS4	8.0°, 9.0°, 10.0°	-7.5° to +1.5°	58.5°	-7.5° to +1.5°	45.5"

MINI DRIVER	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS
GT280	13°	-7.5° to +1.5°	56°	-7.5° to +1.5°	43.5"

FAIRWAYS	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS
GT1	15°, 18°, 21°, 24°	-7.5° to +1.5°	56.5°, 57.5°, 58°, 58.5°	-7.5° to +1.5°	43", 42", 41.5", 41"
GT1 (3 TOUR)	14.5°	-1° to +2°	56.5°	-1° to +2°	43"
New GTS2	13.5°, 15°, 16.5°, 18°, 21°	-7.5° to +1.5°	56°, 56°, 56°, 57°, 57.5°	-7.5° to +1.5°	43", 43", 43", 42", 41.5"
New GTS3	15°, 16.5°, 18°, 21°	-7.5° to +1.5°	56°, 56°, 57°, 57.5°	-7.5° to +1.5°	43", 43", 42", 41.5"

HYBRIDS	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS
GT1	20°, 23°, 26°, 29°	-1° to +2°	57.5°, 58°, 58.5°, 59°	-1° to +2°	40.5", 40", 39.5", 39"
GT2	18°, 21°, 24°	-1° to +2°	57°, 57.5°, 58°	-1° to +2°	40.5", 40", 39.5"
GT3	19°, 21°, 24°	-1° to +2°	57°, 57.5°, 58°	-1° to +2°	40.5", 40", 39.5"

IRONS	1	2	3	4	5	6	7	8	9	P	W	W2	LIE RANGE
T100	—	—	20°	23°	26°	29°	33°	37°	41°	45°	49°	—	-2° to +4°
T150	—	—	19°	22°	25°	28°	32°	36°	40°	44°	48°	—	-2° to +4°
T250	—	18°	20°	22°	24°	27°	30.5°	34.5°	38.5°	43°	48°	—	-2° to +4°
T250* (Launch Spec)	—	—	—	—	27°	31°	35°	39°	43°	47°	52°	—	-2° to +2°
T350	—	—	—	20°	23°	26°	29°	33°	38°	43°	48°	53°	-2° to +4°
620 CB	—	—	21°	24°	27°	31°	35°	39°	43°	47°	—	—	-2° to +2°
620 MB	—	—	21°	24°	27°	31°	35°	39°	43°	47°	—	—	-2° to +2°
CP-02	—	—	20°	23°	26°	29°	32°	36°	40°	44°	48°	—	-2° to +4°
CP-03	—	—	19°	22°	25°	28°	31°	35°	39°	43°	48°	—	-2° to +4°
CP-04	—	—	—	21°	24°	27°	30°	34°	38°	43°	48°	—	-2° to +4°
U-505**	16°	18°	20°	22°	—	—	—	—	—	—	—	—	-2° to +4°
T250U**	—	18°	20°	22°	—	—	—	—	—	—	—	—	-2° to +4°
Lie	60°	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°	64°	64°	64°	—
Length*	40"	39.50"	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"	35.50"	—

WEDGES	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STANDARD LENGTHS
SM11 Tour Chrome	44° to 60°	-1° to +1°	64°	-2° to +2°	35.75" to 35"
SM11 Nickel	44° to 60°	-1° to +1°	64°	-2° to +2°	35.75" to 35"
SM11 Jet Black	44° to 60°	-1° to +1°	64°	-2° to +2°	35.75" to 35"
SM11 Raw (Custom Only)	44° to 60°	-1° to +1°	64°	-2° to +2°	35.75" to 35"

PUTTERS	LOFT OPTIONS	LOFT RANGE	STANDARD LIE	LIE RANGE	STD. LENGTH	LENGTH RANGE
2026 Phantom	3.5°	-1° to +1°	70°	-2° to +2°	33", 34", 35"	32" - 37"
2026 Phantom Long Design	3.5°	-1° to +1°	70°	-2° to +2°	38"	36" - 40"
2025 Studio Style	3.5°	-1° to +1°	70°	-2° to +2°	33", 34", 35"	32" - 37"
2025 Studio Style Long Design	3.5°	-1° to +1°	70°	-2° to +2°	38"	36" - 40"

All putters available in .25" length increments. Call for available length options.

** Metal / Iron / Wedge: Ladies length is -1" from men's standard length. Utilities builds with hybrid graphite are +1/4". call for available length options.

Featured Shaft & Grip Option Summary

DRIVERS	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
GT1	0.5", 1", 1.5"	Fujikura Air Speeder 40 Fujikura Air Speeder 35 (Ladies) Project X Denali Red 50 MCA Tensei 1K Blue 55	Golf Pride Tour Velvet 360° Lite Flat Cap Gray	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
New GTS2	0.5", 1", 1.5"	MCA 1K White 65 w/RIP MCA 1K Blue 55 w/RIP MCA 1K Red 45/55 w/RIP Project X Titan Black 60	Titleist Universal 360°	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
New GTS3	0.5", 1", 1.5"	MCA 1K White 65 w/RIP MCA 1K Blue 55 w/RIP Project X Titan Black 60	Titleist Universal 360°	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
New GTS4	0.5", 1", 1.5"	MCA 1K White 65 w/RIP MCA 1K Blue 55 w/RIP Project X Titan Black 60	Titleist Universal 360°	-1/64", STD, +1/64", +1/32", +3/64", +1/16"

MINI DRIVER	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
GT280	0.5", 1", 1.5"	MCA Tensei 1K Blue 65 MCA Tensei 1K Black 75	Titleist Universal 360°	-1/64", STD, +1/64", +1/32", +3/64", +1/16"

FAIRWAYS	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
GT1 / GT1 3 Tour	0.5", 1", 1.5"	Fujikura Air Speeder 40 Fujikura Air Speeder 35 (Ladies) Tensei 1K Blue 65 Tensei 1K Black 75	Golf Pride Tour Velvet 360° Lite + Flat Cap Gray	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
New GTS2	0.5", 1", 1.5"	MCA 1K White 75 w/RIP MCA 1K Blue 65 w/RIP MCA 1K Red 45/55 w/RIP Project X Titan Black 70	Titleist Universal 360°	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
New GTS3	0.5", 1", 1.5"	MCA 1K White 75 w/RIP MCA 1K Blue 65 w/RIP Project X Titan Black 70	Titleist Universal 360°	-1/64", STD, +1/64", +1/32", +3/64", +1/16"

HYBRIDS	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
GT1	0.5", 1", 1.5"	Fujikura Air Speeder 50 HY Fujikura Air Speeder 40 HY (Ladies)	Titleist Universal 360°	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
GT2	0.5", 1", 1.5"	MCA Tensei 1K Black 85 HY Project X HZRDU5 Black 5G 80 HY MCA Tensei 1K Blue 65 HY Project X Denali 60 Red HY Project X Denali 50 Red HY (Ladies)	Titleist Universal 360°	-1/64", STD, +1/64", +1/32", +3/64", +1/16"
GT3	0.5", 1", 1.5"	MCA Tensei 1K Black 85 HY Project X HZRDU5 Black 5G 80 HY MCA Tensei 1K Blue with Xlink Tech 65 HY	Titleist Universal 360°	-1/64", STD, +1/64", +1/32", +3/64", +1/16"

UTILITY/LONG IRONS	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
U-505 (Graphite)	0.5", 1", 1.5"	HZRDU5 Black 5G HYB (80g/90g)	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T250U	0.5", 1", 1.5"	HZRDU5 Black 5G HYB (80g/90g)	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"

Featured Shaft & Grip Option Summary

IRONS	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
T100	Hard or Soft Step	True Temper AMT White	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T150	Hard or Soft Step	True Temper AMT Silver	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T250	Hard or Soft Step	True Temper AMT Black	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T250 (Graphite)	Hard or Soft Step	Mitsubishi MMT AMC Blue	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T250* Launch Spec	Hard or soft Step	Nippon NS 750GH Neo	Titleist Universal 360*	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T250* Launch Spec (Graphite)	Hard or soft Step	Mitsubishi MMT AMC Red	Titleist Universal 360*	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T350	Hard or Soft Step	True Temper AMT Red	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
T350 (Graphite)	Hard or Soft Step	Mitsubishi MMT AMC Red	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
CP-02	Hard or Soft Step	All Custom Shaft Options	All Custom Grip Options	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
CP-03	Hard or Soft Step	All Custom Shaft Options	All Custom Grip Options	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
CP-04	Hard or Soft Step	All Custom Shaft Options	All Custom Grip Options	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
CP-04	Hard or Soft Step	All Custom Shaft Options	All Custom Grip Options	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
620 CB	Hard or Soft Step	Project X LZ	Golf Pride Tour Velvet 360° White Flat Cap	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
620 MB	Hard or Soft Step	Project X	Golf Pride Tour Velvet 360° White Flat Cap	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"

WEDGES	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
SM11 Tour Chrome	Soft Step	Dynamic Gold S200 Dynamic Gold 105 MCA Tensei AM2 Red	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
SM11 Nickel	Soft Step	Dynamic Gold S200 Dynamic Gold 105 MCA Tensei AM2 Red	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"
SM11 Jet Black	Soft Step	Dynamic Gold S200 Dynamic Gold 105 MCA Tensei AM2 Red	Titleist Universal 360°	- 1/64", Std, +1/64", +1/32", +3/64", +1/16"

PUTTERS	TIP TRIM OPTIONS	FEATURED SHAFTS	FEATURED GRIP	GRIP SIZE OPTIONS
2026 Phantom	N/A	Steel	Full Contact	N/A
2026 Phantom Long Design	N/A	Steel	Long Design 17" Black	N/A
2025 Studio Style	N/A	Steel	Full Contact Slim	N/A
2025 Studio Style Long Design	N/A	Steel	Long Design 17" Black	N/A

Product Comparison

DRIVERS	LAUNCH	SPIN	SIZE & PROFILE
GT1	High	Mid	Modern 460cc
GTS2	High	Low	Traditional 460cc
GTS3	Mid	Low	Traditional 460cc
GTS4	Mid/Low	Very Low	Traditional 460cc

FAIRWAYS	LAUNCH	SPIN	SIZE & PROFILE
GT1	Very High	Mid	Modern 180cc
GT1 3 Tour	High	Low	Modern 180cc
GTS2	High	Low	Traditional 195cc - 155cc
GTS3	High/Mid	Low	Traditional 190cc - 155cc

HYBRIDS	LAUNCH	SPIN	SIZE & PROFILE
GT1	High	High	Full Profile
GT2	High	Mid	Full Profile
GT3	Mid	Mid	Compact

UTILITY/LONG IRONS	LAUNCH	SPIN	SIZE & PROFILE
U505	High	Mid	Player's Shape and Sight Lines
T250U	High	Mid	Compact Shape

IRON	FOREGIVENESS	WORKABILITY	TRAJECTORY
T100	Medium High	Medium High	Low to Mid
T150	Medium High	Medium	Mid
T250	High	Medium	High to Mid
T250* Launch Spec	High	Medium	High
T350	High	Low	High
CP-02	Medium High	High	High
CP-03	High	Medium	High
CP-04	High	Low	High
CB	Medium	High	Mid to Low
MB	Low	High	Mid to Low

WEDGE	BOUNCE	TURF	DETAILS
T GRIND	Low	Firm	For precise players looking for enhanced versatility.
K GRIND (6° Bounce)	Low	Firm	For shallow players looking for a wide forgiving sole.
F GRIND	Mid	Neutral	For players preferring a full sole for full shots.
M GRIND	Mid	Neutral	For players who like to manufacture shots around the green.
S GRIND	Mid	Neutral	For players who prefer square faced shots with a simple technique.
D GRIND	High	Soft	For players with a steeper angle of attack.
K GRIND (12° Bounce)	High	Soft	For players requiring forgiveness in a wide, full sole.

Product Comparison

STUDIO STYLE	NECK	TOE FLOW	OFFSET	RH/LH
Newport / Newport +	I-Beam Plumbing	Medium	Full Shaft	RH
Newport 2 / Newport 2+	I-Beam Plumbing	Medium	Full Shaft	RH / LH (Newport 2 RH Only)
Newport 2.5 +	I-Beam Jet	Near Maximum	3/4 Shaft	RH / LH
Catalina	Mid Bend	Near Minimum	Full Shaft	RH / LH
Sante Fe	Flow Neck	Near Maximum	3/4 Shaft	RH
Fastback	Mid Bend	Minimum	Full Shaft	RH
Fastback 1.5	I-Beam Jet	Near Maximum	3/4 Shaft	RH / LH
Fastback 2	I-Beam Plumbing	Medium	Full Shaft	RH / LH
Fastback OC	Onset Center	Near Zero	Onset	RH
Squareback	Mid Bend	Near Minimum	Full Shaft	RH
Squareback 2	I-Beam Plumbing	Medium	Full Shaft	RH

PHANTOM	NECK	TOE FLOW	OFFSET	RH/LH
5 OC	Onset Center	Near -Zero	Onset	RH
5	Single Mid-Bend	Minimum	Full Shaft	RH
5.2	Plumbing	Medium	Full Shaft	RH
5.5	Jet Neck	Near Maximum	3/4 Shaft	RH / LH
7	Double Bend	Minimum	Full Shaft	RH / LH
7.2	Plumbing	Medium	Full Shaft	RH
7.5	Jet Neck	Near Maximum	3/4 Shaft	RH
9R	Single Mid-Bend	Minimum	Full Shaft	RH
9.2R	Plumbing	Medium	Full Shaft	RH / LH
11R OC	Onset Center	Near-Zero	Onset	RH / LH

LOFT	LIE	LENGTHS
3.5°	70°	33", 34", 35", 38" (Long)

Driver & Fairway Shaft Comparison

		SPIN				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
LAUNCH	HIGH				Fubuki MVFW 45/39	Air Speeder 40/35 (2025)
					Tour AD CQ 5	autoFlex (Driver)
						autoFlex (Fwy)
						Ascent UL 40/35
						Fubuki MV 45/39
						KBS Max HL
	MI-HIGH			Ventus TR Red VeloCore 6		
				Diamana RB 63/73	Diamana BB 53	
					Tour AD GC 5	
					Tour AD IZ 5	
					Tour AD XC 5	
					Tour AD DI 5	
					Tour AD UB 5	
					Tour AD CQ 6/7/8	
					Tensei 1K Red w/RIP 45/55/65	
	MID		Tour AD DI 6/7	Tensei 1K Blue 65/75	Denali Red 60	
			Tour AD IZ 6/7	Tensei AV Blue 65 / 75	HZRDS Red CB 60	
			Tour AD UB 6	Tensei 1K Blue w/RIP 65/75	Tensei 1K Blue w/RIP 55	
			Tour AD XC 6	Denali Blue 50/60/70	Drago 55	
			Tour AD VF 5	Ventus Velocore+ Red 6/7	Tensei 1K Blue 55	
			Diamana BB 63/73	Tour AD FI 5	Tensei AV Blue SFW 55	
				Accra Shogun Green 62/72		
	LOW-MID	Tour AD DI 8	Ventus Blue VeloCore+ 6/7/8	Kiyoshi Purple 65		
		Tour AD IZ 8	Tour AD UB 7/8			
			Kiyoshi Purple 75	Ventus TR Red VeloCore 7/8		
			Tour AD XC 7/8	HZRDS Black 5G 60/70/80		
			Ventus TR Blue VeloCore 6/7/8			
			Tour AD DI 8	Titan Black 60/70/80		
		Tour AD IZ 8				
		Tour AD VF 6				
LOW		Diamana WB 53/63/73				
	Kiyoshi Black 75	Ventus Velocore+ Black 6/7	Tensei 1K Black 65/75			
	Ventus VeloCore+ Black 8	Tensei 1K Black 85	Devotion 6			
	Ventus TR Black VeloCore 8	Kiyoshi Black 65	Drago 65/75			
		Kiyoshi White 65				
	Accra Shogun Red 62/72	Ventus TR Black VeloCore 6/7				
	Tensei 1K White w/RIP 85	Tour AD VF 7/8				
	Tensei 1K White w/RIP 65/75					

RED: FEATURED DRIVER SHAFT

BLUE: FEATURED FAIRWAY SHAFT


GREEN: PREMIUM SHAFT


BLACK: CUSTOM SHAFT


Notes:


- Because every player loads and releases shafts differently, the above chart is a relative (not absolute) measure of how each shaft performs, and how they perform relative to each other.
- Refer to Titleist Shaft Performance Guide for more details.

Driver & Fairway Shafts

Aldila							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ascent UL 40	R	8.2	47	High	At Once	No	+1.5" / -4"
Ascent UL 40	S	8.0	48	High	At Once	No	+1.5" / -4"

Accra							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
New Accra Shogun Red 72	M5 (X)	3	72	Low	Exotic	Yes	+1.5" / -4"
New Accra Shogun Red 72	M4 (S)	3.1	72	Low	Exotic	Yes	+1.5" / -4"
New Accra Shogun Red 62	M5 (X)	3	65	Low	Exotic	Yes	+1.5" / -4"
New Accra Shogun Red 62	M4 (S)	3.1	63	Low	Exotic	Yes	+1.5" / -4"

Accra							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
New Accra Shogun Green 72	M5 (X)	3	72	Mid	Exotic	Yes	+1.5" / -4"
New Accra Shogun Green 72	M4 (S)	3	72	Mid	Exotic	Yes	+1.5" / -4"
New Accra Shogun Green 62	M5 (X)	3.5	64	Mid	Exotic	Yes	+1.5" / -4"
New Accra Shogun Green 62	M4 (S)	3.5	63	Mid	Exotic	Yes	+1.5" / -4"

Dumina							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
autoFlex 305X	R3 (L flex)	6.2	41	High	Exotic	Yes	+1" / -4"
autoFlex 405	R2 (A flex)	6.2	45	High	Exotic	Yes	+1" / -4"
autoFlex 505	R	6.2	50	High	Exotic	Yes	+1" / -4"
autoFlex 505X	S	4.9	54	High	Exotic	Yes	+1" / -4"
autoFlex 505XX	X	4.9	57	High	Exotic	Yes	+1" / -4"
autoFlex Fwy 305	R3 (L flex)	6.2	40	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 405	R2 (A flex)	6.2	43	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 405X	R1 (A+ flex)	6.2	45	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 505	R	5.9	48	High	Exotic	Yes	+2" / -4"
autoFlex Fwy 505X	S	5.9	53	High	Exotic	Yes	+2" / -4"

Driver & Fairway Shafts

Fujikura




MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Air Speeder 35	R4 (Jr. flex)	8.0	43.5	High	At Once	No	+2" / -2"
Air Speeder 35	R3 (L flex)	8.0	46	High	At Once	No	+2" / -3"
Air Speeder 40	R2 (A flex)	8.0	48.5	High	At Once	No	+1.5" / -4"
Air Speeder 40	R	7.5	49.5	High	At Once	No	+1.5" / -4"
Air Speeder 40	S	7.0	50.5	High	At Once	No	+1.5" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ventus Blue VeloCore+ 6	S	3.3	65.5	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore+ 6	X	3.1	66	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore+ 7	S	3.0	75.5	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore+ 7	X	2.9	76	Low/Mid	Exotic	Yes	+1" / -4"
Ventus Blue VeloCore+ 8	X	2.8	85	Low/Mid	Exotic	Yes	+1" / -4"





MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ventus Black VeloCore+ 6	S	3.2	66	Low	Exotic	Yes	+1" / -4"
Ventus Black VeloCore+ 6	X	3	66.5	Low	Exotic	Yes	+1" / -4"
Ventus Black VeloCore+ 7	S	3	75	Low	Exotic	Yes	+1" / -4"
Ventus Black VeloCore+ 7	X	2.9	75.5	Low	Exotic	Yes	+1" / -4"
Ventus Black VeloCore+ 8	X	2.8	84	Low	Exotic	Yes	+1" / -4"




MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ventus Red VeloCore+ 6	S	3.3	67.5	Mid	Exotic	Yes	+1" / -4"
Ventus Red VeloCore+ 6	X	3.2	67.5	Mid	Exotic	Yes	+1" / -4"
Ventus Red VeloCore+ 7	S	3.1	78	Mid	Exotic	Yes	+1" / -4"
Ventus Red VeloCore+ 7	X	3	78	Mid	Exotic	Yes	+1" / -4"

Driver & Fairway Shafts

Fujikura							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ventus TR Black VeloCore 6	S	3.1	69	Low	Exotic	Yes	+1" / -4"
Ventus TR Black VeloCore 6	X	2.9	70	Low	Exotic	Yes	+1" / -4"
Ventus TR Black VeloCore 7	S	2.8	79	Low	Exotic	Yes	+1" / -4"
Ventus TR Black VeloCore 7	X	2.7	80	Low	Exotic	Yes	+1" / -4"
Ventus TR Black VeloCore 8	X	2.6	89	Low	Exotic	Yes	+1" / -4"

							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ventus TR Blue VeloCore 5	R	3.5	58	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 5	S	3.3	58	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 6	S	3.1	68	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 6	X	2.9	68	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 7	S	2.9	77	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 7	X	2.7	78	Mid	Exotic	Yes	+1" / -4"
Ventus TR Blue VeloCore 8	X	2.6	88	Mid	Exotic	Yes	+1" / -4"

							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ventus TR Red VeloCore 5	R	3.5	59	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 5	S	3.3	59	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 6	R	3.4	67	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 6	S	3.2	68	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 6	X	3.0	69	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 7	S	3.0	77	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 7	X	2.8	78	Mid/High	Exotic	Yes	+1" / -4"
Ventus TR Red VeloCore 8	X	2.7	89	Mid/High	Exotic	Yes	+1" / -4"

Driver & Fairway Shafts

Graphite Design



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD CQ 5	R1	4.6	54	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 5	S	4.5	56	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 5	X	4.5	59	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 6	SR	3.4	62	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 6	S	3.4	64	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 6	X	3.4	66	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 7	S	3.2	73	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 7	X	3.2	74	Mid/High	Exotic	Yes	+1" / -4"
Tour AD CQ 8	X	3.0	83	Mid/High	Exotic	Yes	+1" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD GC 5	R1	4.5	52.5	Mid/High	Exotic	Yes	+1" / -4"
Tour AD GC 5	S	4.5	53	Mid/High	Exotic	Yes	+1" / -4"
Tour AD GC 6	S	3.1	62	Mid	Exotic	Yes	+1" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD F1 5	R2	4.6	56	Mid	Exotic	Yes	+1" / -4"
Tour AD F1 5	R1	4.5	57	Mid	Exotic	Yes	+1" / -4"
Tour AD F1 5	S	4.5	57.5	Mid	Exotic	Yes	+1" / -4"
Tour AD F1 5	X	4.5	60.5	Mid	Exotic	Yes	+1" / -4"
Tour AD F1 6	SR	3.2	64.5	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD F1 6	S	3.2	66.5	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD F1 6	X	3.2	68	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD F1 6	TX	3.2	71	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD F1 7	S	2.9	75.5	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD F1 7	X	2.9	78	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD F1 7	TX	2.9	79.5	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD F1 8	X	2.6	85	Low/Mid	Exotic	Yes	+1" / -4"

Graphite Design



VF-6 FLEX S

MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD VF 5	R2	4.3	55	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD VF 5	R1	4.3	55	Low/Mid	At Once	Yes	+1" / -4"
Tour AD VF 5	S	4.3	56.5	Low/Mid	At Once	Yes	+1" / -4"
Tour AD VF 5	X	4.3	59	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD VF 6	SR	3.3	64	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD VF 6	S	3.3	66.5	Low/Mid	At Once	Yes	+1" / -4"
Tour AD VF 6	X	3.3	67	Low/Mid	At Once	Yes	+1" / -4"
Tour AD VF 6	TX	3.3	68.5	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD VF 7	S	3.0	74	Low/Mid	At Once	Yes	+1" / -4"
Tour AD VF 7	X	3.0	75.5	Low/Mid	At Once	Yes	+1" / -4"
Tour AD VF 7	TX	3.0	77	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD VF 8	X	2.8	85	Low	Exotic	Yes	+1" / -4"



DI-6 FLEX S

MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD DI-5	R2	4.7	54	Mid/High	Exotic	Yes	+1" / -4"
Tour AD DI-5	R1	4.7	55	Mid/High	At Once	Yes	+1" / -4"
Tour AD DI-5	S	4.7	57	Mid/High	At Once	Yes	+1" / -4"
Tour AD DI-6	SR	3.4	64	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-6	S	3.3	65	Mid	At Once	Yes	+1" / -4"
Tour AD DI-6	X	3.3	67	Mid	At Once	Yes	+1" / -4"
Tour AD DI-7	S	3.2	73	Mid	At Once	Yes	+1" / -4"
Tour AD DI-7	X	3.1	75	Mid	At Once	Yes	+1" / -4"
Tour AD DI-8	S	3.0	83	Low/Mid	At Once	Yes	+1" / -4"
Tour AD DI-8	X	2.9	85	Low/Mid	At Once	Yes	+1" / -4"



DI-7 FLEX S

MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD DI-6 (Black)	SR	3.4	64	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-6 (Black)	S	3.3	65	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-6 (Black)	X	3.3	67	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-7 (Black)	S	3.2	73	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-7 (Black)	X	3.1	75	Mid	Exotic	Yes	+1" / -4"
Tour AD DI-8 (Black)	S	3.0	83	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD DI-8 (Black)	X	2.9	85	Low/Mid	Exotic	Yes	+1" / -4"

Graphite Design



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD IZ-5	R1	4.5	54	Mid/High	At Once	Yes	+1" / -4"
Tour AD IZ-5	S	4.4	56	Mid/High	At Once	Yes	+1" / -4"
Tour AD IZ-5	X	4.4	58	Mid/High	Exotic	Yes	+1" / -4"
Tour AD IZ-6	SR	3.2	62	Mid	Exotic	Yes	+1" / -4"
Tour AD IZ-6	S	3.2	63	Mid	At Once	Yes	+1" / -4"
Tour AD IZ-6	X	3.2	65	Mid	At Once	Yes	+1" / -4"
Tour AD IZ-7	S	3.1	72	Mid	At Once	Yes	+1" / -4"
Tour AD IZ-7	X	3.1	74	Mid	At Once	Yes	+1" / -4"
Tour AD IZ-8	S	2.9	82	Low/Mid	At Once	Yes	+1" / -4"
Tour AD IZ-8	X	2.9	83	Low/Mid	At Once	Yes	+1" / -4"





MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD XC-5	R1	4.2	54	Mid/High	Exotic	Yes	+1" / -4"
Tour AD XC-5	S	4.2	56	Mid/High	Exotic	Yes	+1" / -4"
Tour AD XC-6	SR	3.2	62	Mid	Exotic	Yes	+1" / -4"
Tour AD XC-6	S	3.2	64	Mid	Exotic	Yes	+1" / -4"
Tour AD XC-6	X	3.2	65	Mid	Exotic	Yes	+1" / -4"
Tour AD XC-7	S	3.0	73	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD XC-7	X	3.0	75	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD XC-8	S	2.8	83	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD XC-8	X	2.8	83	Low/Mid	Exotic	Yes	+1" / -4"





MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD UB 5	R2	4.4	54	Mid/Hlgh	Exotic	Yes	+1" / -4"
Tour AD UB 5	R	4.4	56	Mid/Hlgh	At Once	Yes	+1" / -4"
Tour AD UB 5	S	4.4	57	Mid/Hlgh	At Once	Yes	+1" / -4"
Tour AD UB 5	X	4.4	59	Mid/Hlgh	Exotic	Yes	+1" / -4"
Tour AD UB 6	SR	3.2	63	Mid	Exotic	Yes	+1" / -4"
Tour AD UB 6	S	3.2	65	Mid	At Once	Yes	+1" / -4"
Tour AD UB 6	X	3.2	66	Mid	At Once	Yes	+1" / -4"
Tour AD UB 6	TX	3.2	67	Mid	Exotic	Yes	+1" / -4"
Tour AD UB 7	S	3.0	74	Low/Mid	At Once	Yes	+1" / -4"
Tour AD UB 7	X	3.0	75	Low/Mid	At Once	Yes	+1" / -4"
Tour AD UB 7	TX	3.0	76	Low/Mid	Exotic	Yes	+1" / -4"
Tour AD UB 8	S	2.8	82	Low/Mid	At Once	Yes	+1" / -4"
Tour AD UB 8	X	2.8	83	Low/Mid	At Once	Yes	+1" / -4"

Driver & Fairway Shafts

KBS							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
New KBS Max HL	S	5.5	45	High	Exotic	Yes	+1" / -4"
New KBS Max HL	R	5.6	42	High	Exotic	Yes	+1" / -4"
New KBS Max HL	R2	5.7	40	High	Exotic	Yes	+1" / -4"

MCA							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
MMT SpeedMesh 40	R2	8.4	44	High	At Once	No	+1.5" / -4"
MMT SpeedMesh 40	R	7.9	46	High	At Once	No	+1.5" / -4"
MMT SpeedMesh 40	S	7.1	48	High	At Once	No	+1.5" / -4"
MMT SpeedMesh 35	R3	8.5	41	High	At Once	No	+1.5" / -4"

							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tensei 1K White w/RIP 65	TX	3.4	71	Low	At Once	No	+1.5" / -4"
Tensei 1K White w/RIP 65	X	3.5	70	Low	At Once	No	+1.5" / -4"
Tensei 1K White w/RIP 65	S	3.6	66	Low	At Once	No	+1.5" / -4"
Tensei 1K White w/RIP 75	TX	2.9	79	Low	At Once	No	+1.5" / -4"
Tensei 1K White w/RIP 75	X	3.1	78	Low	At Once	No	+1.5" / -4"
Tensei 1K White w/RIP 75	S	3.2	75	Low	At Once	No	+1.5" / -4"
Tensei 1K White w/RIP 85	TX	2.8	91	Low	At Once	No	+1.5" / -4"
Tensei 1K White w/RIP 85	X	2.8	90	Low	At Once	No	+1.5" / -4"
Tensei 1K White w/RIP 85	S	2.7	87	Low	At Once	No	+1.5" / -4"

							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tensei 1K Blue w/RIP 55	X	4.1	61	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 55	S	4.5	58	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 55	R	4.7	57	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 55	R2	4.9	56	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 65	TX	3.6	71	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 65	X	3.7	70	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 65	S	3.9	68	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 65	R	4.4	66	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 75	TX	3.1	79	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 75	X	3.3	78	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue w/RIP 75	S	4	75	Mid	At Once	No	+1.5" / -4"

Call for availability and exotic shaft lead times • Availability subject to change

Driver & Fairway Shafts

MCA




MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tensei 1K Red w/RIP 45	R3	6.8	45	Mid/High	At Once	No	+1.5" / -4"
Tensei 1K Red w/RIP 55	S	5.1	54	Mid/High	At Once	No	+1.5" / -4"
Tensei 1K Red w/RIP 55	R	5.5	51	Mid/High	At Once	No	+1.5" / -4"
Tensei 1K Red w/RIP 55	R2	6.7	49	Mid/High	At Once	No	+1.5" / -4"
Tensei 1K Red w/RIP 65	S	4.1	64	Mid/High	At Once	No	+1.5" / -4"
Tensei 1K Red w/RIP 65	R	4.6	61	Mid/High	At Once	No	+1.5" / -4"
Tensei 1K Red w/RIP 65	R2	4.7	58	Mid/High	At Once	No	+1.5" / -4"





MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tensei 1K Blue 55g	R2	5.3	55	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 55g	R	5.2	57	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 55g	S	4.7	59	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 55g	X	4.4	61	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 65g	R	4.4	63	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 65g	S	3.9	65	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 65g	X	3.4	66	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 65g	TX	3.2	67	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 75g	S	3.9	75	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 75g	X	3.4	76	Mid	At Once	No	+1.5" / -4"
Tensei 1K Blue 75g	TX	3.0	77	Mid	At Once	No	+1.5" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tensei AV Blue with XLink Tech SFW 55	R2	5.5	55	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech SFW 55	R	5.4	57	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech SFW 55	S	4.9	58	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech SFW 55	X	4.6	62	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 65	R	4.4	65	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 65	S	3.9	67	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 65	X	3.6	68	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 65	TX	3.4	69	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 75	R	4.1	74	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 75	S	3.9	77	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 75	X	3.4	78	Mid	At Once	No	+1.5" / -4"
Tensei AV Blue with XLink Tech 75	TX	3.1	79	Mid	At Once	No	+1.5" / -4"

MCA							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tensei 1K Black 65	S	3.6	67	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 65	X	3.5	68	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 65	TX	3.5	69	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 75	S	3.6	76	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 75	X	3.5	78	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 75	TX	3.0	79	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 85	S	3.2	89	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 85	X	3.2	90	Low	At Once	No	+1.5" / -4"
Tensei 1K Black 85	TX	2.8	90	Low	At Once	No	+1.5" / -4"

							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Diamana WB 53	S	4.6	54	Low/Mid	Exotic	Yes	+1" / -4"
Diamana WB 63	S	3.1	61	Low/Mid	Exotic	Yes	+1" / -4"
Diamana WB 63	X	3.1	63.5	Low/Mid	Exotic	Yes	+1" / -4"
Diamana WB 73	S	3.0	70	Low/Mid	Exotic	Yes	+1" / -4"
Diamana WB 73	X	2.9	72	Low/Mid	Exotic	Yes	+1" / -4"

							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Diamana BB 53	R	4.9	50	Mid/High	Exotic	Yes	+1" / -4"
Diamana BB 53	S	4.9	52	Mid/High	Exotic	Yes	+1" / -4"
Diamana BB 63	R	3.2	60	Mid	Exotic	Yes	+1" / -4"
Diamana BB 63	S	3.2	61	Mid	Exotic	Yes	+1" / -4"
Diamana BB 63	X	3.2	62	Mid	Exotic	Yes	+1" / -4"
Diamana BB 63	TX	3.1	62	Mid	Exotic	Yes	+1" / -4"
Diamana BB 73	S	2.9	70	Mid	Exotic	Yes	+1" / -4"
Diamana BB 73	X	2.9	71	Mid	Exotic	Yes	+1" / -4"
Diamana BB 73	TX	2.9	72	Mid	Exotic	Yes	+1" / -4"

Driver & Fairway Shafts

MCA



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Fubuki MV 39	L	7.6	43	High	At Once	No	+1.5" / -4"
Fubuki MV 45	A	7.5	46	High	At Once	No	+1" / -4"
Fubuki MV 45	R	7.0	47	High	At Once	No	+1" / -4"
Fubuki MV 45	S	6.9	52	High	At Once	No	+1" / -4"
Fubuki MV FW 39	L	7.0	44	High	At Once	No	+2" / -4"
Fubuki MV FW 45	A	7.0	46.5	High	At Once	No	+2" / -4"
Fubuki MV FW 45	S	5.1	50.5	High	At Once	No	+2" / -4"


Oban



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Devotion 6	R	3.6	66	Low	Exotic	Yes	+1" / -4"
Devotion 6	S	3.6	67	Low	At Once	Yes	+1" / -4"
Devotion 6	X	3.6	68	Low	Exotic	Yes	+1" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Kiyoshi Purple 65	S	3.5	69	Low/Mid	Exotic	Yes	+1" / -4"
Kiyoshi Purple 65	X	3.5	70	Low/Mid	Exotic	Yes	+1" / -4"
Kiyoshi Purple 75	S	3.1	79	Low/Mid	Exotic	Yes	+1" / -4"
Kiyoshi Purple 75	X	3.1	81	Low/Mid	Exotic	Yes	+1" / -4"
Diamana WB 73	X	2.9	72	Low/Mid	Exotic	Yes	+1" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Kiyoshi White 65	S	3.1	66	Low	Exotic	Yes	+1" / -4"
Kiyoshi White 65	X	3.1	69	Low	Exotic	Yes	+1" / -4"

Driver & Fairway Shafts

Project X




MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Denali Red 40	4.0	6.2	48	Mid/High	At Once	No	+1.5" / -4"
Denali Red 50	5.0	5.9	52	Mid/High	At Once	No	+1.5" / -4"
Denali Red 50	5.5	5.4	53	Mid/High	At Once	No	+1.5" / -4"
Denali Red 50	6.0	5.0	53	Mid/High	At Once	No	+1.5" / -4"
Denali Red 60	5.0	4.7	59	Mid/High	At Once	No	+1.5" / -4"
Denali Red 60	5.5	4.5	60	Mid/High	At Once	No	+1.5" / -4"
Denali Red 60	6.0	4.0	60	Mid/High	At Once	No	+1.5" / -4"





MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Denali Blue 50	6.0	4.1	58	Mid	Exotic	No	+1" / -4"
Denali Blue 60	5.5	3.9	64	Mid	Exotic	No	+1" / -4"
Denali Blue 60	6.0	3.7	65	Mid	Exotic	No	+1" / -4"
Denali Blue 60	6.5	3.5	55	Mid	Exotic	No	+1" / -4"
Denali Blue 70	6.0	3.1	73	Mid	Exotic	No	+1" / -4"
Denali Blue 70	6.5	3.0	73	Mid	Exotic	No	+1" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Denali Black 60	6.0	3.9	65	Low	At Once	No	+1" / -4"
Denali Black 60	6.5	3.7	69	Low	At Once	No	+1" / -4"
Denali Black 60	TX	2.5	65	Low	At Once	No	+1" / -4"
Denali Black 70	6.0	3.6	75	Low	At Once	No	+1" / -4"
Denali Black 70	6.5	3.2	76	Low	At Once	No	+1" / -4"
Denali Black 70	TX	2.4	74	Low	At Once	No	+1" / -4"

Project X							
 TITAN PROJECT X							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
New Titan Black 60	TX	2.7	67	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 60	6.5	3.3	67	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 60	6	3.5	67	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 60	5.5	3.5	66	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 70	TX	2.7	76	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 70	6.5	3.1	74	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 70	6	3.1	74	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 70	5.5	3.3	73	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 80	TX	2.6	81	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 80	6.5	3	85	Low/Mid	At Once	No	+1.5" / -4"
New Titan Black 80	6	3	84	Low/Mid	At Once	No	+1.5" / -4"

 HZRIOUS							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
HZRIOUS Black 5th Gen 60g	5.5	3.5	65	Low/Mid	At Once	No	+1.5" / -4"
HZRIOUS Black 5th Gen 60g	6.0	3.2	65	Low/Mid	At Once	No	+1.5" / -4"
HZRIOUS Black 5th Gen 60g	6.5	3.0	66	Low/Mid	At Once	No	+1.5" / -4"
HZRIOUS Black 5th Gen 60g	TX	2.7	67	Low/Mid	At Once	Yes	+1.5" / -4"
HZRIOUS Black 5th Gen 70g	5.5	3.4	71	Low/Mid	At Once	No	+1.5" / -4"
HZRIOUS Black 5th Gen 70g	6.0	3.1	72	Low/Mid	At Once	No	+1.5" / -4"
HZRIOUS Black 5th Gen 70g	6.5	2.9	74	Low/Mid	At Once	No	+1.5" / -4"
HZRIOUS Black 5th Gen 70g	TX	2.6	77	Low/Mid	At Once	Yes	+1.5" / -4"
HZRIOUS Black 5th Gen 80g	6.0	3.0	80	Low/Mid	At Once	No	+1.5" / -4"
HZRIOUS Black 5th Gen 80g	6.5	2.8	81	Low/Mid	At Once	No	+1.5" / -4"
HZRIOUS Black 5th Gen 80g	TX	2.5	85	Low/Mid	At Once	Yes	+1.5" / -4"

 HZRIOUS CB							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
HZRIOUS Red CB 40	4.0	6.5	47	Mid/High	At Once	Yes	+1.5" / -4"
HZRIOUS Red CB 50	5.0	5.9	51	Mid/High	At Once	No	+1.5" / -4"
HZRIOUS Red CB 50	5.5	5.2	52	Mid/High	At Once	No	+1.5" / -4"
HZRIOUS Red CB 50	6.0	4.8	52	Mid/High	At Once	No	+1.5" / -4"
HZRIOUS Red CB 60	5.0	4.9	58	Mid/High	At Once	No	+1.5" / -4"
HZRIOUS Red CB 60	5.5	4.7	58	Mid/High	At Once	No	+1.5" / -4"
HZRIOUS Red CB 60	6.0	4.4	59	Mid/High	At Once	No	+1.5" / -4"

VA Composites



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Drago 55	R	4.2	51	Mid	Exotic	Yes	+1" / -4"
Drago 65	S	3.3	62	Low	Exotic	Yes	+1" / -4"
Drago 65	X	3.3	63	Low	Exotic	Yes	+1" / -4"
Drago 75	S	3.3	74	Low	Exotic	Yes	+1" / -4"
Drago 75	X	3.3	77	Low	Exotic	Yes	+1" / -4"

Hybrid & Utility Shaft Comparison

		SPIN				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
LAUNCH	HIGH				Denali Red 70/60/50 HY	Air Speeder 50/40 HY (2025)
					KuroKage Black DC 5G 55/65HY	autoFlex HYB
					HZRDUUS Red 4G 60/70HY	Ascent UL 50HY
						MMT SpeedMesh 40/50 HY
						Nippon GOST HL
	MI-HIGH			Tensei iK Blue 65HY		
				Tensei AV Blue with XLink 65HY		
	MID	Tour AD IZ 85/95 Hybrid	Tour AD DI 85 Hybrid	Tensei iK Blue 75/85HY		
		Tour AD DI 105 Hybrid		Tensei AV Blue with XLink 75HY		
				ATMOS HB Tour Spec Red 7		
				Nippon GOST		
	LOW-MID		Ventus Velocore+ Blue 7/8/9 HY			
		Tour AD VF 85 Hybrid	HZRDUUS Black 5G 80			
			ATMOS HB Tour Spec Blue 8			
			HZRDUUS Black 4G 80HY			
			KBS Tour Proto 95/105			
	LOW		Tour AD VF 75 Hybrid			
		Ventus Velocore+ Black 8/9 HY	Tensei iK Black 85/95HY			
		Tour AD VF 95 Hybrid	Tensei AV White RAW 90/100HY			
		ATMOS HB Tour Spec Black 9				

RED: FEATURED HYBRID SHAFT

GREEN: PREMIUM SHAFT

BLACK: CUSTOM SHAFT

Notes:

- Because every player loads and releases shafts differently, the above chart is a relative (not absolute)
- Measure of how each shaft performs, and how they perform relative to each other.
- All the above shafts can be used in both hybrids and utility irons.
- Refer to Titleist Shaft Performance Guide for more details.

Aldila



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ascent UL 50 HY	R2	4.5	54	High	At Once	No	+2" / -4"
Ascent UL 50 HY	R	4.1	55	High	At Once	No	+2" / -4"
Ascent UL 50 HY	S	4.0	59	High	At Once	No	+2" / -4"
Ascent UL 40 HY	R3	5.0	44	High	At Once	No	+2" / -4"

Dumina



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
autoFlex 405	R3 (L flex)	6.2	50	High	Exotic	Yes	+2" / -4"
autoFlex 405X	R2 (A flex)	6.2	53	High	Exotic	Yes	+2" / -4"
autoFlex 505	R	6.2	56	High	Exotic	Yes	+2" / -4"
autoFlex 505X	S	4.9	58	High	Exotic	Yes	+2" / -4"

Fujikura



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Air Speeder 40	R4 (Jr. flex)	7.2	40	High	At Once	No	+2" / -2"
Air Speeder 40	R3 (L flex)	6.9	42.5	High	At Once	No	+2" / -3"
Air Speeder 50	R2 (A flex)	6.9	44.5	High	At Once	No	+2" / -4"
Air Speeder 50	R	6.5	49	High	At Once	No	+2" / -4"
Air Speeder 50	S	6.1	53	High	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ventus Velcore+ Blue 7	R	3	73.5	Low/Mid	Exotic	Yes	+2" / -4"
Ventus Velcore+ Blue 7	S	2.8	74.5	Low/Mid	Exotic	Yes	+2" / -4"
Ventus Velcore+ Blue 8	S	2.6	84	Low/Mid	Exotic	Yes	+2" / -4"
Ventus Velcore+ Blue 8	X	2.4	85	Low/Mid	Exotic	Yes	+2" / -4"
Ventus Velcore+ Blue 9	X	2.2	94	Low/Mid	Exotic	Yes	+2" / -4"

Hybrid & Utility Shafts

Fujikura



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Ventus Velcore+ Black 8	S	2.5	86.5	Low	Exotic	Yes	+2" / -4"
Ventus Velcore+ Black 8	X	2.3	86.5	Low	Exotic	Yes	+2" / -4"
Ventus Velcore+ Black 9	X	2.2	95	Low	Exotic	Yes	+2" / -4"

LIMITED SUPPLY



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
ATMOS HB Tour Spec Black 9	S	2.2	94	Low/Mid	At Once	No	+2" / -4"
ATMOS HB Tour Spec Black 9	X	2.2	96	Low/Mid	At Once	No	+2" / -4"

LIMITED SUPPLY



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
ATMOS HB Tour Spec Blue 8	S	2.5	85	Low/Mid	At Once	No	+2" / -4"
ATMOS HB Tour Spec Blue 8	X	2.5	87	Low/Mid	At Once	No	+2" / -4"

LIMITED SUPPLY



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
ATMOS HB Tour Spec Red 7	R2	2.8	73	Mid	At Once	No	+2" / -4"
ATMOS HB Tour Spec Red 7	R	2.7	75	Mid	At Once	No	+2" / -4"
ATMOS HB Tour Spec Red 7	S	2.7	77	Mid	At Once	No	+2" / -4"

Graphite Design



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD DI-85 Hybrid	R	2.4	87	Mid	At Once	Yes	+2" / -4"
Tour AD DI-85 Hybrid	S	2.4	88	Mid	At Once	Yes	+2" / -4"
Tour AD DI-85 Hybrid	X	2.4	88	Mid	At Once	Yes	+2" / -4"
Tour AD DI-105 Hybrid	S	2.3	105	Mid	At Once	Yes	+2" / -4"
Tour AD DI-105 Hybrid	X	2.3	107	Mid	At Once	Yes	+2" / -4"

Graphite Design



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD IZ-85 Hybrid	S	2.4	86	Mid	At Once	Yes	+2" / -4"
Tour AD IZ-85 Hybrid	X	2.4	88	Mid	At Once	Yes	+2" / -4"
Tour AD IZ-95 Hybrid	S	2.1	96	Low/Mid	At Once	Yes	+2" / -4"
Tour AD IZ-95 Hybrid	X	2.1	97	Low/Mid	At Once	Yes	+2" / -4"




MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD VF 75 Hybrid	R	3.0	76	Low/Mid	Exotic	Yes	+2" / -4"
Tour AD VF 75 Hybrid	S	3.0	76.5	Low/Mid	Exotic	Yes	+2" / -4"
Tour AD VF 85 Hybrid	S	2.5	86.5	Low	Exotic	Yes	+2" / -4"
Tour AD VF 85 Hybrid	X	2.5	87.5	Low	Exotic	Yes	+2" / -4"
Tour AD VF 95 Hybrid	S	2.5	95	Low	Exotic	Yes	+2" / -4"
Tour AD VF 95 Hybrid	X	2.5	97	Low	Exotic	Yes	+2" / -4"


KBS





MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS Tour Proto 75g	R	3.2	75	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 75g	S	3.2	75	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 75g	X	3.2	75	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 85g	R	3	85	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 85g	R+	3	85	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 85g	S	3	85	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 85g	S+	3	85	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 85g	X	3	85	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 95g	S	2.7	95	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 95g	S+	2.7	95	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 95g	X	2.7	95	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 105g	S	2.5	105	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 105g	S+	2.5	105	Mid	Exotic	Yes	+2" / -4"
KBS Tour Proto 105g	X	2.5	105	Mid	Exotic	Yes	+2" / -4"

Hybrid & Utility Shafts

KBS							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS Max HL	S	4	60	High	Exotic	Yes	+2" / -4"
KBS Max HL	R+	4.5	50	High	Exotic	Yes	+2" / -4"
KBS Max HL	R	5	40	High	Exotic	Yes	+2" / -4"

MCA							
							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
MMT SpeedMesh 40 HY	R3	6.8	44	High	At Once	No	+2" / -4"
MMT SpeedMesh 50 HY	R2	6.7	48	High	At Once	No	+2" / -4"
MMT SpeedMesh 50 HY	R	6.2	52	High	At Once	No	+2" / -4"
MMT SpeedMesh 50 HY	S	6.1	55	High	At Once	No	+2" / -4"

							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Kuro Kage Black DC 5G 55 HY	R2	4.0	55	Mid/High	At Once	No	+2" / -4"
Kuro Kage Black DC 5G 55 HY	R	3.9	58	Mid/High	At Once	No	+2" / -4"
Kuro Kage Black DC 5G 55 HY	S	3.8	61	Mid/High	At Once	No	+2" / -4"
Kuro Kage Black DC 5G 65 HY	R	3.6	67	Mid/High	At Once	No	+2" / -4"
Kuro Kage Black DC 5G 65 HY	S	3.5	70	Mid/High	At Once	No	+2" / -4"

							
MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tensei 1K Blue 65 HY	R	3.5	65.5	Mid	At Once	No	+2" / -4"
Tensei 1K Blue 65 HY	S	3.5	68.5	Mid	At Once	No	+2" / -4"
Tensei 1K Blue 75 HY	R	3.0	75.5	Mid	At Once	No	+2" / -4"
Tensei 1K Blue 75 HY	S	3.0	78.5	Mid	At Once	No	+2" / -4"
Tensei 1K Blue 85 HY	S	2.4	88.5	Mid	At Once	No	+2" / -4"
Tensei 1K Blue 85 HY	X	2.4	91.5	Mid	At Once	No	+2" / -4"

MCA



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tensei AV Blue with Xlink Tech 65 HY	R	3.5	66	Mid	At Once	No	+2" / -4"
Tensei AV Blue with Xlink Tech 65 HY	S	3.5	69	Mid	At Once	No	+2" / -4"
Tensei AV Blue with Xlink Tech 65 HY	X	3.4	72	Mid	At Once	No	+2" / -4"
Tensei AV Blue with Xlink Tech 75 HY	R	3.0	76	Mid	At Once	No	+2" / -4"
Tensei AV Blue with Xlink Tech 75 HY	S	3.0	79	Mid	At Once	No	+2" / -4"
Tensei AV Blue with Xlink Tech 75 HY	X	2.8	82	Mid	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tensei 1K Black 85 HY	S	2.5	87	Low	At Once	No	+2" / -4"
Tensei 1K Black 85 HY	X	2.5	91	Low	At Once	No	+2" / -4"
Tensei 1K Black 95 HY	S	2.4	98	Low	At Once	No	+2" / -4"
Tensei 1K Black 95 HY	X	2.3	102	Low	At Once	No	+2" / -4"

Nippon



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
New GOST	TX	2.3	112	Mid	Exotic	Yes	+2" / -4"
New GOST	X	2.5	101	Mid	Exotic	Yes	+2" / -4"
New GOST	Tour S	2.8	91	Mid	Exotic	Yes	+2" / -4"
New GOST	S	2.8	91	Mid	Exotic	Yes	+2" / -4"
New GOST HL	HL	2.6	91	High	Exotic	Yes	+2" / -4"

Project X



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
HZRIOUS Black 5G 80 HY	6.0	2.2	82	Low/Mid	At Once	No	+2" / -4"
HZRIOUS Black 5G 80 HY	6.5	2.1	83	Low/Mid	At Once	No	+2" / -4"
HZRIOUS Black 5G 90 HY	6.0	2.2	90	Low/Mid	At Once	No	+2" / -4"
HZRIOUS Black 5G 90 HY	6.5	2.1	91	Low/Mid	At Once	No	+2" / -4"

Project X



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
HZRDU S Black 4G 80 HY	5.5	2.3	77	Low/Mid	At Once	No	+2" / -4"
HZRDU S Black 4G 80 HY	6.0	2.1	79	Low/Mid	At Once	No	+2" / -4"
HZRDU S Black 4G 80 HY	6.5	2.1	81	Low/Mid	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Denali Red 50 HY	4.0	4.0	53	Mid/High	At Once	No	+2" / -4"
Denali Red 60 HY	5.0	3.4	58	Mid/High	At Once	No	+2" / -4"
Denali Red 60 HY	5.5	3.3	60	Mid/High	At Once	No	+2" / -4"
Denali Red 60 HY	6.0	3.2	62	Mid/High	At Once	No	+2" / -4"
Denali Red 70 HY	5.5	2.6	69	Mid/High	At Once	No	+2" / -4"
Denali Red 70 HY	6.0	2.5	71	Mid/High	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
HZRDU S Red 50 HY	4.0	4.0	56	Mid/High	At Once	No	+2" / -4"
HZRDU S Red 60 HY	5.0	4.0	58	Mid/High	At Once	No	+2" / -4"
HZRDU S Red 60 HY	5.5	3.7	60	Mid/High	At Once	No	+2" / -4"
HZRDU S Red 60 HY	6.0	3.2	62	Mid/High	At Once	No	+2" / -4"
HZRDU S Red 70 HY	5.5	3.2	73	Mid/High	At Once	No	+2" / -4"
HZRDU S Red 70 HY	6.0	3.1	74	Mid/High	At Once	No	+2" / -4"

Iron & Wedge Shaft Comparison

		SPIN				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
LAUNCH	HIGH				NS Pro 750GH Neo	
				NS Pro 950GH	NS Pro 850GH	MMT AMC Red
					NS Pro 880 AMC	Zelos 7
						Max Graphite Iron 45/55
	MI-HIGH			NS PRO 950GH neo		
				Dynamic Gold Mid 100	Recoil Dart 65	
				MMT AMC Blue		
				SteelFiber i80cw	AMT Red	
					Players Graphite Iron	
	MID			AMT Black		
				KBS Tour Lite	Tour Graphite Iron	
			Project X Red	NS Pro MODUS 3 Tour 105		
			KBS C-Taper Lite	Dynamic Gold Mid 115		
			MMT Taper Iron 105	AMT Silver		
			NS Pro MODUS 3 Tour 120	KBS S-Taper Lite		
			Dynamic Gold Mid Tour Issue 130			
				Tour AD 75/85/95		
	LOW-MID			MMT Taper Iron 95		
				Recoil Dart 95		
			Project X LZ 6.0/Onyx	Dynamic Gold 105		
			MMT Taper Iron 125	Steelfiber i110cw		
			KBS Tour	KBS S-Taper		
	LOW		NS Pro MODUS 3 Tour 125	Dynamic Gold 120		
				Steelfiber i95cw		
		Dynamic Gold	KBS Tour V			
		Dynamic Gold Tour Issue/Onyx	AMT White			
		Project X	KBS C-Taper			
		Dynamic Gold X7	NS Pro MODUS 3 Tour 130			

RED: FEATURED IRON SHAFT

BLACK: CUSTOM IRON SHAFT

Notes:

- Because every player loads and releases shafts differently, the above chart is a relative (not absolute) measure of how each shaft performs, and how they perform relative to each other.
- Refer to Titleist Shaft Performance Guide for more details.

Aerotech



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
SteelFiber i80cw	R	2.9-2.5	85	Mid/High	At Once	Yes	+2" / -4"
SteelFiber i80cw	S	2.9-2.5	85	Mid/High	At Once	Yes	+2" / -4"
SteelFiber i95cw	R	2.5-2.1	95	Low/Mid	At Once	Yes	+2" / -4"
SteelFiber i95cw	S	2.4-2.0	95	Low/Mid	At Once	Yes	+2" / -4"
SteelFiber i95cw	X	2.3-1.8	95	Low/Mid	Exotic	Yes	+2" / -4"
SteelFiber i110cw	R	2.1-1.7	110	Low/Mid	Exotic	Yes	+2" / -4"
SteelFiber i110cw	S	1.9-1.5	110	Low/Mid	At Once	Yes	+2" / -4"
SteelFiber i110cw	X	1.9-1.5	110	Low/Mid	Exotic	Yes	+2" / -4"

Graphite Design



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour AD 75	R	2.8	78	Mid	Exotic	Yes	+1.25" / -4"
Tour AD 75	S	2.8	78	Mid	Exotic	Yes	+1.25" / -4"
Tour AD 85	R	2.4	89	Mid	Exotic	Yes	+1.25" / -4"
Tour AD 85	S	2.4	89	Mid	Exotic	Yes	+1.25" / -4"
Tour AD 95	S	2.2	98	Mid	Exotic	Yes	+1.25" / -4"
Tour AD 95	X	2.2	99	Mid	Exotic	Yes	+1.25" / -4"

KBS



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS \$-Taper	R	2.1-1.9	110	Low/Mid	Exotic	No	+2" / -4"
KBS \$-Taper	R+	2.0-1.8	115	Low/Mid	Exotic	No	+2" / -4"
KBS \$-Taper	S	2.2-2.0	120	Low/Mid	At Once	No	+2" / -4"
KBS \$-Taper	S+	1.9-1.7	125	Low/Mid	Exotic	No	+2" / -4"
KBS \$-Taper	X	1.8-1.6	130	Low/Mid	Exotic	No	+2" / -4"

KBS



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS \$-Taper Lite	R	2.5-2.1	95	Mid	Exotic	Yes	+2" / -4"
KBS \$-Taper Lite	S	2.3-2.0	100	Mid	Exotic	Yes	+2" / -4"
KBS \$-Taper Lite	X	2.2-1.9	105	Mid	Exotic	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS 610 Wedge (Wedge Only)	R	1.6	110	Low	At Once	Yes	+2" / -4"
KBS 610 Wedge (Wedge Only)	S	1.5	120	Low	At Once	Yes	+2" / -4"
KBS 610 Wedge (Wedge Only)	S+	1.5	125	Low	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS C-Taper	R	2.0-1.8	110	Low	At Once	No	+2" / -4"
KBS C-Taper	R+	1.9-1.7	115	Low	At Once	No	+2" / -4"
KBS C-Taper	S	1.8-1.6	120	Low	At Once	No	+2" / -4"
KBS C-Taper	S+	1.7-1.5	125	Low	At Once	No	+2" / -4"
KBS C-Taper	X	1.6-1.4	130	Low	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS C-Taper Lite	R	2.1-1.9	105	Mid	At Once	Yes	+2" / -4"
KBS C-Taper Lite	S	2.0-1.8	110	Mid	At Once	Yes	+2" / -4"
KBS C-Taper Lite	X	1.9-1.7	115	Mid	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS Hi-Rev 2.0 (Wedge Only)	R	1.7	115	Mid	At Once	Yes	+2" / -4"
KBS Hi-Rev 2.0 (Wedge Only)	S	1.5	125	Mid	At Once	Yes	+2" / -4"
KBS Hi-Rev 2.0 (Wedge Only)	X	1.4	135	Mid/High	At Once	Yes	+2" / -4"

KBS



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS Tour	R	2.1-1.9	110	Low/Mid	At Once	No	+2" / -4"
KBS Tour	R+	2.0-1.8	115	Low/Mid	At Once	No	+2" / -4"
KBS Tour	S	1.9-1.7	120	Low/Mid	At Once	No	+2" / -4"
KBS Tour	S+	1.8-1.6	125	Low/Mid	At Once	No	+2" / -4"
KBS Tour	X	1.7-1.5	130	Low/Mid	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS Tour V	R	2.0-1.8	100	Low	Exotic	Yes	+2" / -4"
KBS Tour V	S	1.9-1.7	110	Low	At Once	Yes	+2" / -4"
KBS Tour V	X	1.8-1.6	120	Low	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
KBS Tour Lite	R	2.3-2.0	95	Mid/High	At Once	No	+2" / -4"
KBS Tour Lite	S	2.1-1.8	100	Mid/High	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Tour Graphite Iron	S+	2.9	90	Mid	At Once	Yes	+1.25" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Player Graphite Iron	R	3.6	70	Mid/High	At Once	Yes	+1.25" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Max 55 Iron	A	4.2	50	High	At Once	Yes	+1.25" / -4"
Max 45 Iron	L	6.5	45	High	At Once	Yes	+2" / -4"

MCA




MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
New MMT AMC Red 45	R4	6.0-4.6	40-40-46 (4-7-P)	High	At Once	Yes	+2" / -4"
New MMT AMC Red 55	R3	4.1-3.3	48-48-54 (4-7-P)	High	At Once	Yes	+2" / -4"
New MMT AMC Red 55	R2	4.1-3.2	55-55-62 (4-7-P)	High	At Once	Yes	+2" / -4"
New MMT AMC Red 65	R	4.1-3.2	57-57-62 (3-7-P)	High	At Once	Yes	+2" / -4"
New MMT AMC Red 65	S	4.1-3.2	60-60-66 (3-7-P)	High	At Once	Yes	+2" / -4"




MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
New MMT AMC Blue 85	R	3.6-2.9	73-86 (3-P)	Mid/High	At Once	Yes	+2" / -4"
New MMT AMC Blue 85	S	3.4-2.8	76-90 (3-P)	Mid/High	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
MMT Taper Iron 125	TX	2.7	125	Low/Mid	At Once	Yes	+1.25" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
MMT Taper Iron 105	S	2.8	105	Low/Mid	At Once	Yes	+1.25" / -4"
MMT Taper Iron 105	TX	2.8	113	Low/Mid	At Once	Yes	+1.25" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
MMT Taper Iron 95	S	2.9	95	Mid	At Once	Yes	+1.25" / -4"

Nippon



Flex S NIPPON SHAFT Made in Japan

MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
New NS 750GH Neo	R2	3.2-2.8	74 (3-P)	High	At Once	No	+0.5" / -4"
New NS 750GH Neo	R	3.2-2.7	74.5 (3-P)	High	At Once	No	+0.5" / -4"
New NS 750GH Neo	S	2.7-2.4	78 (3-P)	High	At Once	No	+0.5" / -4"



Flex S NIPPON SHAFT Made in Japan

MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
NS Pro 950GH Neo	R	1.9	94.5	Mid/High	Exotic	Yes	+0.75" / -2"
NS Pro 950GH Neo	S	1.7	98	Mid/High	Exotic	Yes	+0.75" / -2"
NS Pro 950GH Neo	X	1.6	104	Mid/High	Exotic	Yes	+0.75" / -2"



TOUR105

Flex S NIPPON SHAFT Made in Japan

NIPPON SHAFT

MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
NS Pro Modus 3 Tour 105	R	1.9	103	Mid	At Once	No	+2" / -4"
NS Pro Modus 3 Tour 105	S	1.7	105	Mid	At Once	No	+2" / -4"
NS Pro Modus 3 Tour 105	X	1.6	112	Mid	At Once	No	+2" / -4"



TOUR120 Flex S

MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
NS Pro Modus 3 Tour 120	R	1.8	111	Mid	At Once	No	+2" / -4"
NS Pro Modus 3 Tour 120	S	1.7	114	Mid	At Once	No	+2" / -4"
NS Pro Modus 3 Tour 120	X	1.6	120	Mid	At Once	No	+2" / -4"



TOUR125

Flex S NIPPON SHAFT Made in Japan

NIPPON SHAFT

MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
NS Pro Modus 3 Tour 125	R	1.7	127	Low/Mid	Exotic	Yes	+2" / -4"
NS Pro Modus 3 Tour 125	S	1.5	128	Low/Mid	Exotic (Wedge At Once)	Yes	+2" / -4"
NS Pro Modus 3 Tour 125	X	1.4	129	Low/Mid	Exotic (Wedge At Once)	Yes	+2" / -4"

Iron & Wedge Shafts

Nippon



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
NS Pro Modus 3 Tour 130	R	1.8-1.3	121	Low	Exotic	Yes	+2" / -4"
NS Pro Modus 3 Tour 130	S	1.7-1.2	124	Low	At Once	Yes	+2" / -4"
NS Pro Modus 3 Tour 130	X	1.6-1.2	129	Low	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
NS Pro 850GH	R	2.1	87	High	At Once	Yes	+1.75" / -4"
NS Pro 850GH	S	1.9	91	High	At Once	Yes	+1.75" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
NS Pro 880 AMC	R	2.5-2.0	93-105-105 (4-8-W)	High	At Once	Yes	+2" / -4"
NS Pro 880 AMC	S	2.1-1.9	95-107-107 (4-8-W)	High	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
NS Pro 880 AMC (Chrome Finish)	R	2.5-2.0	93-105-105 (4-8-W)	High	At Once	No	+2" / -4"
NS Pro 880 AMC (Chrome Finish)	S	2.1-1.9	95-107-107 (4-8-W)	High	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
NS Pro 950GH	R	2.3-1.8	95	High	At Once	No	+1.75" / -4"
NS Pro 950GH	S	2.0-1.6	98	High	At Once	No	+1.75" / -4"
NS Pro 950GH	X	1.9-1.4	104	High	Exotic	No	+1.75" / -4"

Nippon



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Zelos 7	R2	2.9	73	High	At Once	Yes	+0.75" / -4"
Zelos 7	R	2.8	74	High	At Once	Yes	+0.75" / -4"
Zelos 7	S	2.6	77	High	At Once	Yes	+0.75" / -4"
Zelos 8	R	2.6	84	High	Exotic	Yes	+0.75" / -4"
Zelos 8	S	2.5	87	High	Exotic	Yes	+0.75" / -4"

Project X



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Project X	5.0	1.8-1.6	110	Low	At Once	No	+2" / -4"
Project X	5.5	1.8-1.6	115	Low	At Once	No	+2" / -4"
Project X	6.0	1.7-1.5	120	Low	At Once	No	+2" / -4"
Project X	6.5	1.7-1.5	125	Low	At Once	No	+2" / -4"
Project X	7.0	1.6-1.4	130	Low	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Project X Red	5.5	1.9-2.3	110	Mid/High	At Once	Yes	+2" / -4"
Project X Red	6.0	1.8-2.2	110	Mid	At Once	Yes	+2" / -4"
Project X Red	6.5	1.6-1.9	120	Low/Mid	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Project X LZ	5.0	2.1-1.8	110	Low/Mid	At Once	No	+2" / -4"
Project X LZ	5.5	2.0-1.7	115	Low/Mid	At Once	No	+2" / -4"
Project X LZ	6.0	1.9-1.6	120	Low/Mid	At Once	No	+2" / -4"
Project X LZ	6.5	1.8-1.5	125	Low/Mid	At Once	No	+2" / -4"

Iron & Wedge Shafts

Project X



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Project X Wedge	5.5	1.7	115	Low/Mid	At Once	Yes	+2" / -4"
Project X Wedge	6.0	1.7	120	Low/Mid	At Once	Yes	+2" / -4"
Project X Wedge	6.5	1.7	125	Low/Mid	At Once	Yes	+2" / -4"

True Temper



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
AMT Black	R	2.3-1.9	94-115 (2-W)	Mid/High	At Once	No	+2" / -4"
AMT Black	S	2.1-1.7	95-116 (2-W)	Mid/High	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
AMT Red	R	2.3-1.9	94-94-106 (2-7-W)	Mid/High	At Once	No	+2" / -4"
AMT Red	S	2.1-1.8	95-95-107 (2-7-W)	Mid/High	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
AMT White	R	2.4-1.8	106-127 (1-9/P)	Low	At Once	No	+2" / -4"
AMT White	S	2.2-1.6	106-130 (1-9/P)	Low	At Once	No	+2" / -4"
AMT White	X	2.0-1.5	106-130 (1-9/P)	Low	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
AMT Silver	R	2.0-1.6	103-119 (3-9/P)	Mid	At Once	No	+2" / -4"
AMT Silver	S	2.0-1.6	103-119 (3-9/P)	Mid	At Once	No	+2" / -4"
AMT Silver	X	2.0-1.5	101-116 (3-9/P)	Mid	At Once	No	+2" / -4"

True Temper



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold Mid Tour Issue 130	X100	1.6	130	Mid	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold Mid 115	S300	1.9	115	Mid	At Once	Yes	+2" / -4"
Dynamic Gold Mid 115	X100	1.8	116	Mid	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold Mid 100	R300	2.3	105	Mid/High	At Once	Yes	+2" / -4"
Dynamic Gold Mid 100	S300	2.1	105	Mid/High	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold	R300	2.0-1.7	127	Low	At Once	No	+2" / -4"
Dynamic Gold	S200	1.8-1.5	129	Low	At Once	No	+2" / -4"
Dynamic Gold	S300	1.8-1.5	130	Low	At Once	No	+2" / -4"
Dynamic Gold	S400	1.7-1.5	132	Low	At Once	No	+2" / -4"
Dynamic Gold	X100	1.7-1.4	130	Low	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold Onyx (Wedge Only)	S200	1.5	129	Low	At Once	Yes	+2" / -4"

True Temper



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold Tour Issue Onyx (Wedge Only)	S400	1.5	132	Low	At Once	Yes	+2" / -4"
Dynamic Gold Tour Issue Onyx (Wedge Only)	X100	1.4	130	Low	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold 105	R300	2.2-1.9	101	Low/Mid	At Once	No	+2" / -4"
Dynamic Gold 105	S300	2.1-1.8	103	Low/Mid	At Once	No	+2" / -4"
Dynamic Gold 105	WEDGE	1.9	101	Low/Mid	At Once	No	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold 105 Onyx (Wedge Only)	WEDGE	1.9	101	Low/Mid	At Once	Yes	2" / -4"
Dynamic Gold 105 Onyx (Wedge Only)	WEDGE	1.9	101	Low/Mid	At Once	Yes	2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold 115 (Wedge Only)	S300	1.7	115	Mid	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold 120	S300	2.0-1.7	118	Low/Mid	At Once	Yes	+2" / -4"
Dynamic Gold 120	X100	1.9-1.6	120	Low/Mid	At Once	Yes	+2" / -4"

True Temper



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold Tour Issue	S400	1.7-1.5	132	Low	At Once	Yes	+2" / -4"
Dynamic Gold Tour Issue	X100	1.7-1.4	130	Low	At Once	Yes	+2" / -4"



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Dynamic Gold X7	X7	1.7-1.4	132	Low	Exotic	Yes	+2" / -4"

UST



MODEL	FLEX	TORQUE (°)	WEIGHT (g)	LAUNCH	AVAILABILITY	UPCHARGE	MAX/MIN LENGTH
Recoil Dart 65	F2 (A)	3.1	65	Mid/High	At Once	Yes	+2" / -4"
Recoil Dart 65	F3 (R)	3.1	65	Mid/High	At Once	Yes	+2" / -4"
Recoil Dart 90	F3 (R)	2.6	90	Mid	At Once	Yes	+2" / -4"
Recoil Dart 90	F4 (S)	2.5	90	Mid	At Once	Yes	+2" / -4"

Driver & Fairway Weights

GT1 Driver							
One flat weight located back	-6 g	-4 g	-2 g	Std. 16g	+2 g	+4 g	+6 g

GTS2 Driver							
Two flat weights located front & back	-6 g	-4 g	-2 g	Std. 16g	+2 g	+4 g	+6 g
Standard CG	7 front/3 back	9 front/3 back	9 front/5 back	11 front/5 back	13 front/5 back	13 front/7 back	15 front/7 back
Back CG	3 front/7 back	3 front/9 back	5 front/9 back	5 front/11 back	5 front/13 back	7 front/13 back	7 front/15 back
Custom Options	7 front/3 back	9 front/3 back	11 front/3 back	13 front/3 back	15 front/3 back	15 front/5 back	15 front/7 back
	5 front/5 back	7 front/5 back	9 front/5 back	11 front/5 back	13 front/5 back	13 front/7 back	13 front/9 back
	3 front/7 back	5 front/7 back	7 front/7 back	9 front/7 back	11 front/7 back	11 front/9 back	11 front/11 back
		3 front/9 back	5 front/9 back	7 front/9 back	9 front/9 back	9 front/11 back	9 front/13 back
			3 front/11 back	5 front/11 back	7 front/11 back	7 front/13 back	7 front/15 back
				3 front/13 back	5 front/13 back	5 front/15 back	
					3 front/15 back		

GTS3 and GTS4 Drivers							
Front 5-position track plus back flat weight	-6 g	-4 g	-2 g	Std. 13g	+2 g	+4 g	+6 g
Standard CG	4 track/3 back	6 track/3 back	6 track/5 back	8 track/5 back	10 track/5 back	10 track/7 back	12 track/7 back
Back CG	n/a	4 track/5 back	4 track/7 back	4 track/9 back	6 track/9 back	6 track/11 back	6 track/13 back
Custom Options	4 track/3 back	6 track/3 back	8 track/3 back	10 track/3 back	12 track/3 back	14 track/3 back	14 track/5 back
		4 track/5 back	6 track/5 back	8 track/5 back	10 track/5 back	12 track/5 back	12 track/7 back
			4 track/7 back	6 track/7 back	8 track/7 back	10 track/7 back	10 track/9 back
				4 track/9 back	6 track/9 back	8 track/9 back	8 track/11 back
					4 track/11 back	6 track/11 back	6 track/13 back
						4 track/13 back	4 track/15 back

GT1 Fairway							
Two flat weight front & back	-6 g	-4 g	-2 g	Std. 14g	+2 g	+4 g	+6 g
Standard Back CG	3 front/5 back	3 front/7 back	3 front/9 back	3 front/11 back	5 front/11 back	5 front/13 back	5 front/15 back
Forward CG	5 front/3 back	7 front/3 back	9 front/3 back	11 front/3 back	11 front/5 back	13 front/5 back	15 front/5 back

GTS2 & GTS3 Fairways							
Two flat weights heel & toe	-6 g	-4 g	-2 g	Std. 16g	+2 g	+4 g	+6 g
Standard Neutral CG	7 heel/3 toe	7 heel/5 toe	9 heel/5 toe	11 heel/5 toe	11 heel/7 toe	13 heel/7 toe	13 heel/9 toe
Toe CG	3 heel/7 toe	5 heel/7 toe	5 heel/9 toe	5 heel/11 toe	7 heel/11 toe	7 heel/13 toe	9 heel/13 toe
Custom Options	7 heel/3 toe	9 heel/3 toe	11 heel/3 toe	13 heel/3 toe	15 heel/3 toe	15 heel/5 toe	15 heel/7 toe
	5 heel/5 toe	7 heel/5 toe	9 heel/5 toe	11 heel/5 toe	13 heel/5 toe	13 heel/7 toe	13 heel/9 toe
	3 heel/7 toe	5 heel/7 toe	7 heel/7 toe	9 heel/7 toe	11 heel/7 toe	11 heel/9 toe	11 heel/11 toe
		3 heel/9 toe	5 heel/9 toe	7 heel/9 toe	9 heel/9 toe	9 heel/11 toe	9 heel/13 toe
			3 heel/11 toe	5 heel/11 toe	7 heel/11 toe	7 heel/13 toe	7 heel/15 toe
				3 heel/13 toe	5 heel/13 toe	5 heel/15 toe	
					3 heel/15 toe		

GT1 Hybrids							
Two flat weight front & back	-6 g	-4 g	-2 g	Std. 16g	+2 g	+4 g	+6 g
Standard Back CG	3 front/7 back	3 front/9 back	5 front/9 back	5 front/11 back	7 front/11 back	7 front/13 back	9 front/13 back
Forward CG	7 front/3 back	9 front/3 back	9 front/5 back	11 front/5 back	11 front/7 back	13 front/7 back	13 front/9 back

GT2 & GT3 Hybrids							
Two flat weights heel & toe	-6 g	-4 g	-2 g	Std. 16g	+2 g	+4 g	+6 g
Standard Neutral CG	7 heel/3 toe	9 heel/3 toe	9 heel/5 toe	11 heel/5 toe	11 heel/7 toe	13 heel/7 toe	13 heel/9 toe
Toe CG	3 heel/7 toe	3 heel/9 toe	5 heel/9 toe	5 heel/11 toe	7 heel/11 toe	7 heel/13 toe	9 heel/13 toe

Putter Weights

STUDIO STYLE	33"	34"	35"
Newport / Newport 2	35g	30g	25g
Newport+ / Newport 2+ / Newport 2.5+	20g	15g	10g
Catalina	20g	15g	10g
Sante Fe	35g	30g	25g
Fastback	20g	15g	10g
Fastback 1.5	20g	15g	10g
Fastback 2.0	20g	15g	10g
Fastback OC	20g	15g	10g
Squareback	20G	15g	10g
Squareback 2	20g	15g	10g

PHANTOM	33"	34"	35"
5	20g	15g	10g
5.2	20g	15g	10g
5.5	20g	15g	10g
5 OC	20g	15g	10g
7	20g	15g	10g
7.2	20g	15g	10g
7.5	20g	15g	10g
9R	20g	15g	10g
9.2R	20g	15g	10g
11R OC	20g	15g	10g

Golf Pride



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Titleist Universal 360°	.580	52	No
Titleist Universal 360°	.600	50	No
Titleist Universal 360°	U.580 (Ladies)	40	No
Titleist Universal 360°	.560U	46	No
Titleist Universal 360° Midsize	.580	52	No



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Velvet 360° White Flat Cap (T-Series & 620 Stock Grip)	.580	52	No
Tour Velvet 360° White Flat Cap (T-Series & 620 Stock Grip)	.600	50	No
Tour Velvet 360° White Flat Cap (T-Series & 620 Stock Ladies Grip)	U.580 (Ladies)	44	No
Tour Velvet 360° White Flat Cap (T-Series & 620 Stock Grip)	U.600	40	No
Tour Velvet 360° White Flat Cap Midsize	.600	53	No
Tour Velvet 360° White Flat Cap Ribbed Midsize	.600	53.5	No



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Velvet 360° Lite+ Flat Dark Gray Cap (TSR1 Fairway Stock Grip)	.580	44	No
Tour Velvet 360° Lite+ Flat Dark Gray Cap (TSR1 Custom Grip)	.600	42	No
Tour Velvet 360° Lite+ Flat Dark Gray Cap (TSR1 Fairway Stock Ladies Grip)	U.580 (Ladies)	35.5	No



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Velvet 360° Lite Flat Gray Cap (TSR1 Driver Custom Grip)	.600	30	No
Tour Velvet 360° Lite Flat Gray Cap (TSR1 Driver Stock Ladies Grip)	U.580 (Ladies)	26	No
Tour Velvet 360° Lite Flat Gray Cap (TSR1 Driver Midsize Grip)	.580	40	No

Golf Pride



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Velvet 360° Gray (TS Custom Grip)	.580	52	No
Tour Velvet 360° Gray (TS Stock Mens Grip)	.580	50	No
Tour Velvet 360° Gray (TS Custom Grip)	U.580 (Ladies)	44	No



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Titleist Tour Velvet	.560	55	No
Titleist Tour Velvet	.580	52	No
Titleist Tour Velvet	.600	50	No



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Titleist Tour Velvet Cord	.580	52.5	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Velvet	.580	51.5	No
Tour Velvet	.600	49.5	No
Tour Velvet Midsize	.600	53.5	Yes
Tour Velvet Plus 4	.600	52	Yes
Tour Velvet Jumbo	.600	61	Yes
Tour Velvet Junior	.500	42	No

Golf Pride



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Velvet Align	.600	51.5	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Align Max	.600	50	Yes
Align Max +4	.600	53	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Velvet BCT Cord Black	.580	52.5	Yes
Tour Velvet BCT Cord Black	.600	50.5	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Titleist Tour Velvet 360° Black	.580	52	No
Titleist Tour Velvet 360° Black	.600	50	No



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
CP2 Wrap	.600	51.5	Yes
CP2 Undersize	0.600	51.5	Yes
CP2 Wrap Midsize	.600	63.5	Yes

Golf Pride



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
CP2 Pro	.600	51.5	Yes
CP2 Pro Undersize	.600	51.5	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC Red	.600	46.5	Yes
MCC Red Midsized	.600	59	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC White	.600	46.5	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC Black	.600	46.5	Yes
MCC Black Midsized	.600	59	Yes




MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC Blue	.600	46.5	Yes


Golf Pride




MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC Align White	.600	51	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC + 4 Align Gray	.600	53	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC +4 Blue	.600	52	Yes
MCC +4 Blue Midsized	.600	66	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC +4 Gray	.600	52	Yes
MCC +4 Gray Midsized	.600	66	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC +4 Orange	.600	52	Yes

Golf Pride



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
MCC +4 Red	.600	52	Yes
MCC +4 Gray Midsized	.600	66	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Wrap 2G	.580	50	Yes
Tour Wrap 2G	.600	48	Yes
Tour Wrap 2G Midsized	.600	58	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Wrap 2G Red	.600	48	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Tour Wrap 2G White	.600	48	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Z-Grip Align	.600	50.5	Yes

Golf Pride



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Z-Grip Cord	.600	50.5	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Z-Grip - Non Cord	.580	52	Yes
Z-Grip - Non Cord	.600	50	Yes

Iomic



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky 2.3 Black	.600	50	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky 2.3 Dark Blue	.600	50	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky 2.3 Orange	.600	50	Yes


Iomic



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky 2.3 Red	.600	50	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky 2.3 Silver/Grey	U580 (Ladies)	40	No



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky 2.3 Purple	.600	50g	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky 2.3 Blue	.600	50g	Yes




MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky Army 1.0 Milky Pink	.560	40g	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky Army 1.0 Sky Blue	.560	40g	Yes

Iomic



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Sticky Army 1.0 Lavender	.560	40g	Yes

SuperStroke



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Player Grey / Blue	.600	50g	Yes
Player Grey / Blue MID	.600	53g	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Element Black / Grey	.600	50g	Yes
Element Black / Grey MID	.600	60g	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Crossline 2.0 Black CORD STD	.600	47g	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Crossline 2.0 Black STD	0.600	50g	Yes
Crossline 2.0 Black MID	0.600	64g	Yes

Winn



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Excel Wrap Standard	.600	42	Yes
Excel Wrap Midsized	.600	43	Yes




MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Dri-Tac Standard	.600	48	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Dri-Tac Midsized	.600	49	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Dri-Tac Oversize	.600	50	Yes



MODEL	CORE DIAMETER	WEIGHT (g)	UPCHARGE
Dri-Tac Ladies	.590	35	Yes

Scotty Cameron



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Matador Red Small	10	77
Matador Red Medium	11	84
Matador Red Large	11	65



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Matador Black/Red Small	10	77
Matador Black/Red Medium	11	84
Matador Black/Red Large	11	65



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Matador Black/Silver Small	10	77
Matador Black/Silver Medium	11	84
Matador Black/Silver Large	11	65



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Matador Gray Small	10	77
Matador Gray Medium	11	84
Matador Gray Large	11	65



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Pistolini Red	10	80

Scotty Cameron



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Pistolini Black	10	80



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Pistolini Plus	11	80



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Pistolini Plus Textured (Super Select 2023)	11	80



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Pistolero Red	10	80



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Pistolero Black	10	80



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Pistolero Plus	11	81



MODEL	GRIP LENGTH (In)	WEIGHT (g)
Pistolero Plus Textured (Phantom X 2022)	11	82

Scotty Cameron



MODEL	GRIP LENGTH (In)	WEIGHT (g)
2024 Full Contact Paddle Grip	10.5	80




MODEL	GRIP LENGTH (In)	WEIGHT (g)
Full Contact Slim Grip	10.5	80

Wedge Grips

Vokey Design®



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Titleist Universal 360°	.580	52
Vokey Titleist Universal 360°	.600	50



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Titleist Universal 360° White Fill	.580	52
Vokey Titleist Universal 360° White Fill	.600	50



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Tour Velvet 360° White Flat Cap	.580	52
Vokey Tour Velvet 360° White Flat Cap	.600	50



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Golf Pride Tour Velvet 360°	.580	52
Vokey Golf Pride Tour Velvet 360°	.600	50



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Tour Velvet 360° Black	.580	52
Vokey Tour Velvet 360° Black	.600	50

Wedge Grips

Vokey Design®



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Multi-Compound White	.600	46.5



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Multi-Compound Red	.600	46.5



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Multi-Compound Black	.600	46.5



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Multi-Compound Blue/White	.600	46.5



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Multi-Compound Blue	.600	46.5



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey MCC Plus 4 Blue	.600	52

Wedge Grips

Vokey Design®



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Platinum Blue	.600	49.5



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Sticky 2.3 Red	.600	50



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Tour Velvet Cord Black	.580	46.5



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Z Cord Black	.600	50.5



MODEL	CORE DIAMETER	WEIGHT (g)
Vokey Z Patriot	.600	50

Vokey Design® wedges can be built to a wide range of custom specifications and personalized through our new WedgeWorks Services program. A variety of options are available including special BV grips, custom ferrules and Vokey shaftbands.

Stamping and Personalization

Characters Available	Letters A - Z (all caps) / Numbers 0 - 9 / Special Characters #*@\$&- / Symbols
Character Limits	Straight/Freestyle: Characters Snow Initials: (2) Characters Snow Symbols: (1) Character Staircase: (5) Characters Curve: (15) Characters Two Lines: (10 per line) Characters
Stamping Styles	Straight / Freestyle / Snow Initials / Snow Symbols / Staircase / Curve / Two Lines: Straight or Freestyle

Hand Stamping



Straight




Freestyle



Curve



Two Lines: Straight or Freestyle




Snow




Staircase

Snow Symbol Stamping



Dots



Saw



Clover



Happy Face



Star




Hammer



BV



Heart



Diamond



Feet



Skull

STAMP STYLE	UPCHARGE
Straight Stamping	Yes
Freestyle Stamping	Yes
Snow Initials	Yes
Snow Symbols	Yes
Staircase Stamping	Yes
Curve Stamping	Yes
Two Lines: Straight or Freestyle	Yes
Straight + Snow Symbols	Yes
Freestyle + Snow Symbols	Yes

Toe Engraving



BV Wings Custom




BV Classic



BV Wings



BV Custom Wedges



Up and Down



Clover



Tour Saw



Delta Saw

Note: Toe Engraving only available with straight, freestyle, snow and staircase stamping.

TOE ENGRAVING	UPCHARGE
Toe Engraving (Not allowed with Two Lines or Curve)	Yes

BV Wings Color

Available in Limited Color Combos: White/Black, Black/White, Gold/Black, White/White, Black/Black, Silver/Black



Black/White



White/Black



Gold/Black



Silver/Black



Black/Black



White/White*

Paint Colors

Customize loft, bounce and grind with up to 3 different paintfills.



Black



White



Pink



Red



Orange



Yellow



Lime Green



Irish Green



Carolina Blue



Navy Blue



Purple



Gold



Loft/Bounce/Grind

PAINTFILL (LOFT, BOUNCE, GRIND, WINGS)	UPCHARGE
1 paintfill or totals of 2-4 paintfills	Yes

Vokey WedgeWorks Services

Shaft Laser Etching

Characters Available: Letters A - Z (All Caps) / Numbers 0 -9

CharactersLimit: 20



SHAFT LASER ETCHING	UPCHARGE
Up to 20 characters	Yes

BV Shaft Bands



Modern Block Blue



Modern Block Green



Modern Block Light Blue



Modern Block Orange



Modern Block Pink



Modern Block Purple



Modern Block Red



Modern Block Yellow



BV Ticket



BV Clover



Vokey Design BV Purple



BV Pink



BV Turquoise



BV Black



BV Blue and Yellow



BV Red, White, Blue



Vokey WedgeWorks



BV WedgeWorks



WW Exclusive Blue



WW Exclusive Red



Old Glory



BV Custom Classic




BV Retro Red




BV Retro Blue

SHAFT BANDS	UPCHARGE
Choose from any of the 24 shaft band options.	Yes


Custom Ferrules




Black



Custom Silver



Custom Chrome



Custom Gold

SHAFT LASER ETCHING	UPCHARGE
Black	No
Custom: Silver, Gold, Chrome	Yes

WedgeWorks Flight Lines

Three precision engravings on the hosel that help players consistently set their clubface and shaft at address.



WedgeWorks Flight Lines Colors

Customize your Flight Lines with these colors.



Black



White



Pink



Red



Orange



Yellow



Lime Green



Irish Green



Carolina Blue



Navy Blue



Purple



Gold

WW FLIGHT LINES	UPCHARGE
Black (Tour Chrome Only)	Yes
Select Colors	Yes



Titleist[®]

For more information, please call Titleist Customer Service at 1-888-324-4766 or visit www.titleist.com

©2026 Acushnet Company.